

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110525\
 Data File : VY023683.D
 Acq On : 05 Nov 2025 11:30
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VIBLK

Quant Time: Nov 06 03:27:59 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	732488	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1245662	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1057061	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	399394	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	355815	56.947	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.900%
35) Dibromofluoromethane	7.640	113	399625	51.336	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.680%
50) Toluene-d8	10.109	98	1415623	48.818	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.640%
62) 4-Bromofluorobenzene	12.408	95	391924	41.793	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	83.580%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110525\
Data File : VY023683.D
Acq On : 05 Nov 2025 11:30
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VIBLK

Quant Time: Nov 06 03:27:59 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 05 04:41:50 2025
Response via : Initial Calibration

