

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110725\
 Data File : VY023705.D
 Acq On : 07 Nov 2025 09:25
 Operator : SY/MD
 Sample : VY1107SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1107SBL01

Quant Time: Nov 08 03:26:34 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	733523	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1292894	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1074713	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	410948	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	366398	58.558	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.120%
35) Dibromofluoromethane	7.640	113	412502	51.054	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.100%
50) Toluene-d8	10.109	98	1464701	48.665	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.340%
62) 4-Bromofluorobenzene	12.408	95	403175	41.422	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	82.840%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110725\
Data File : VY023705.D
Acq On : 07 Nov 2025 09:25
Operator : SY/MD
Sample : VY1107SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1107SBL01

Quant Time: Nov 08 03:26:34 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 05 04:41:50 2025
Response via : Initial Calibration

