

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110822\
 Data File : VY011368.D
 Acq On : 08 Nov 2022 17:34
 Operator : KP/MD
 Sample : N5485-01
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-03-110422

Quant Time: Nov 09 03:34:01 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110122S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 01 11:56:18 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	57181	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	94555	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	88293	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	39493	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	37897	61.968	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	123.940%
35) Dibromofluoromethane	7.710	113	39202	64.529	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	129.060%
50) Toluene-d8	10.179	98	112571	47.725	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	95.460%
62) 4-Bromofluorobenzene	12.477	95	39607	48.369	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	96.740%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110822\
Data File : VY011368.D
Acq On : 08 Nov 2022 17:34
Operator : KP/MD
Sample : N5485-01
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-03-110422

Quant Time: Nov 09 03:34:01 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110122S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 01 11:56:18 2022
Response via : Initial Calibration

