

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111122\
 Data File : VY011411.D
 Acq On : 11 Nov 2022 12:24
 Operator : KP/MD
 Sample : N5561-03
 Misc : 5.09g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-06

Quant Time: Nov 11 13:33:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 10 17:47:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	81945	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	128629	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	107145	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	37796	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	45134	65.728	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	131.460%
35) Dibromofluoromethane	7.716	113	47162	65.424	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	130.840%
50) Toluene-d8	10.179	98	155002	56.284	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	112.560%
62) 4-Bromofluorobenzene	12.483	95	40306	41.962	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	83.920%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111122\
Data File : VY011411.D
Acq On : 11 Nov 2022 12:24
Operator : KP/MD
Sample : N5561-03
Misc : 5.09g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-06

Quant Time: Nov 11 13:33:20 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 10 17:47:26 2022
Response via : Initial Calibration

