

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111122\
 Data File : VY011405.D
 Acq On : 11 Nov 2022 09:37
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 11 13:31:48 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 10 17:47:26 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.350	0.297	15.1	97	0.00
3 P	Chloromethane	0.402	0.370	8.0	94	0.00
4 C	Vinyl Chloride	0.474	0.450	5.1#	96	0.00
5 T	Bromomethane	0.343	0.322	6.1	90	0.00
6 T	Chloroethane	0.315	0.305	3.2	96	0.00
7 T	Trichlorofluoromethane	0.747	0.753	-0.8	99	0.00
8 T	Diethyl Ether	0.262	0.266	-1.5	91	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.453	0.467	-3.1	99	0.00
10 T	Methyl Iodide	0.604	0.588	2.6	95	0.00
11 T	Tert butyl alcohol	0.063	0.052	17.5	85	-0.01
12 CM	1,1-Dichloroethene	0.449	0.444	1.1#	94	0.00
13 T	Acrolein	0.016	0.018	-12.5	134	0.00
14 T	Allyl chloride	0.605	0.609	-0.7	92	0.00
15 T	Acrylonitrile	0.125	0.134	-7.2	91	0.00
16 T	Acetone	0.111	0.131	-18.0	97	0.00
17 T	Carbon Disulfide	1.336	1.252	6.3	92	0.00
18 T	Methyl Acetate	0.328	0.306	6.7	90	0.00
19 T	Methyl tert-butyl Ether	1.173	1.251	-6.6	93	0.00
20 T	Methylene Chloride	0.743	0.653	12.1	90	0.00
21 T	trans-1,2-Dichloroethene	0.512	0.519	-1.4	95	0.00
22 T	Diisopropyl ether	1.292	1.402	-8.5	97	0.00
23 T	Vinyl Acetate	0.756	0.854	-13.0	94	0.00
24 P	1,1-Dichloroethane	0.841	0.879	-4.5	96	0.00
25 T	2-Butanone	0.157	0.176	-12.1	93	0.00
26 T	2,2-Dichloropropane	0.787	0.811	-3.0	97	0.00
27 T	cis-1,2-Dichloroethene	0.576	0.603	-4.7	96	0.00
28 T	Bromochloromethane	0.306	0.327	-6.9	93	0.00
29 T	Tetrahydrofuran	0.095	0.104	-9.5	90	0.00
30 C	Chloroform	0.890	0.942	-5.8#	97	0.00
31 T	Cyclohexane	0.753	0.725	3.7	94	0.00
32 T	1,1,1-Trichloroethane	0.805	0.825	-2.5	96	0.00
33 S	1,2-Dichloroethane-d4	0.419	0.382	8.8	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.280	0.269	3.9	90	0.00
36 T	1,1-Dichloropropene	0.435	0.458	-5.3	97	0.00
37 T	Ethyl Acetate	0.209	0.229	-9.6	91	0.00
38 T	Carbon Tetrachloride	0.473	0.508	-7.4	98	0.00
39 T	Methylcyclohexane	0.531	0.551	-3.8	94	0.00
40 TM	Benzene	1.299	1.374	-5.8	96	0.00
41 T	Methacrylonitrile	0.108	0.112	-3.7	81	0.00
42 TM	1,2-Dichloroethane	0.340	0.370	-8.8	96	0.00
43 T	Isopropyl Acetate	0.377	0.409	-8.5	89	0.00
44 TM	Trichloroethene	0.365	0.383	-4.9	95	0.00
45 C	1,2-Dichloropropane	0.309	0.336	-8.7#	98	0.00
46 T	Dibromomethane	0.180	0.198	-10.0	95	0.00
47 T	Bromodichloromethane	0.431	0.472	-9.5	97	0.00
48 T	Methyl methacrylate	0.169	0.193	-14.2	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111122\
 Data File : VY011405.D
 Acq On : 11 Nov 2022 09:37
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleID :
 VSTDCCC050

Quant Time: Nov 11 13:31:48 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 10 17:47:26 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.003	-50.0#	93	0.00
50 S	Toluene-d8	1.070	0.979	8.5	89	0.00
51 T	4-Methyl-2-Pentanone	0.203	0.234	-15.3	92	0.00
52 CM	Toluene	0.829	0.893	-7.7#	97	0.00
53 T	t-1,3-Dichloropropene	0.445	0.490	-10.1	96	0.00
54 T	cis-1,3-Dichloropropene	0.513	0.557	-8.6	95	0.00
55 T	1,1,2-Trichloroethane	0.261	0.293	-12.3	98	0.00
56 T	Ethyl methacrylate	0.335	0.387	-15.5	92	0.00
57 T	1,3-Dichloropropane	0.435	0.482	-10.8	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.155	0.157	-1.3	83	0.00
59 T	2-Hexanone	0.144	0.172	-19.4	92	0.00
60 T	Dibromochloromethane	0.322	0.358	-11.2	96	0.00
61 T	1,2-Dibromoethane	0.251	0.274	-9.2	94	0.00
62 S	4-Bromofluorobenzene	0.373	0.368	1.3	92	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	90	0.00
64 T	Tetrachloroethene	0.400	0.425	-6.2	99	0.00
65 PM	Chlorobenzene	1.001	1.061	-6.0	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.374	0.408	-9.1	99	0.00
67 C	Ethyl Benzene	1.749	1.868	-6.8#	97	0.00
68 T	m/p-Xylenes	0.686	0.738	-7.6	97	0.00
69 T	o-Xylene	0.647	0.696	-7.6	96	0.00
70 T	Styrene	1.087	1.212	-11.5	98	0.00
71 P	Bromoform	0.232	0.255	-9.9	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.456	3.628	-5.0	98	0.00
74 T	N-amyl acetate	0.727	0.802	-10.3	92	0.00
75 P	1,1,2,2-Tetrachloroethane	0.664	0.700	-5.4	94	0.00
76 T	1,2,3-Trichloropropane	0.579	0.544	6.0	81	0.00
77 T	Bromobenzene	0.826	0.866	-4.8	97	0.00
78 T	n-propylbenzene	4.124	4.382	-6.3	99	0.00
79 T	2-Chlorotoluene	2.358	2.454	-4.1	98	0.00
80 T	1,3,5-Trimethylbenzene	2.915	3.107	-6.6	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.241	0.253	-5.0	93	0.00
82 T	4-Chlorotoluene	2.448	2.579	-5.4	100	0.00
83 T	tert-Butylbenzene	2.520	2.666	-5.8	98	0.00
84 T	1,2,4-Trimethylbenzene	2.861	3.084	-7.8	100	0.00
85 T	sec-Butylbenzene	3.710	3.942	-6.3	99	0.00
86 T	p-Isopropyltoluene	3.110	3.363	-8.1	100	0.00
87 T	1,3-Dichlorobenzene	1.650	1.723	-4.4	98	0.00
88 T	1,4-Dichlorobenzene	1.631	1.709	-4.8	99	0.00
89 T	n-Butylbenzene	2.794	3.005	-7.6	100	0.00
90 T	Hexachloroethane	0.608	0.636	-4.6	101	0.00
91 T	1,2-Dichlorobenzene	1.463	1.561	-6.7	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.108	0.115	-6.5	94	0.00
93 T	1,2,4-Trichlorobenzene	0.863	0.935	-8.3	97	0.00
94 T	Hexachlorobutadiene	0.510	0.540	-5.9	102	0.00
95 T	Naphthalene	1.683	1.884	-11.9	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111122\
Data File : VY011405.D
Acq On : 11 Nov 2022 09:37
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Nov 11 13:31:48 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111022S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 10 17:47:26 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T 1,2,3-Trichlorobenzene	0.745	0.813	-9.1	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6