

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY111122\  
 Data File : VY011418.D  
 Acq On : 11 Nov 2022 15:02  
 Operator : KP/MD  
 Sample : N5524-01  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 72-11995

Quant Time: Nov 11 15:25:34 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y111022S.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Nov 10 17:47:26 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.789  | 168  | 349341   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.685  | 114  | 583612   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.489 | 117  | 508539   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.422 | 152  | 222653   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.136  | 65    | 178168   | 60.863   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 121.720% |
| 35) Dibromofluoromethane    | 7.715  | 113   | 188659   | 57.682   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 115.360% |
| 50) Toluene-d8              | 10.178 | 98    | 710660   | 56.875   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 49 - 140 | Recovery | =    | 113.760% |
| 62) 4-Bromofluorobenzene    | 12.483 | 95    | 217731   | 49.959   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 25 - 144 | Recovery | =    | 99.920%  |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY111122\  
Data File : VY011418.D  
Acq On : 11 Nov 2022 15:02  
Operator : KP/MD  
Sample : N5524-01  
Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
72-11995

Quant Time: Nov 11 15:25:34 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y111022S.M  
Quant Title : SW846 8260  
QLast Update : Thu Nov 10 17:47:26 2022  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.789 min Scan# 91  
Delta R.T. -0.000 min  
Lab File: VY011418.D  
Acq: 11 Nov 2022 15:02




Instrument :  
MSVOA\_Y  
ClientSampleId :  
72-11995


Tgt Ion:168 Resp: 349341  
Ion Ratio Lower Upper  
168 100  
99 52.6 46.9 70.3



#33  
1,2-Dichloroethane-d4  
Concen: 60.863 ug/l  
RT: 8.136 min Scan# 1036  
Delta R.T. 0.000 min  
Lab File: VY011418.D  
Acq: 11 Nov 2022 15:02

Tgt Ion: 65 Resp: 178168  
Ion Ratio Lower Upper  
65 100  
67 54.1 0.0 99.4









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 8.685 min Scan# 1126  
Delta R.T. -0.000 min  
Lab File: VY011418.D  
Acq: 11 Nov 2022 15:02




Instrument :  
MSVOA\_Y  
ClientSampleId :  
72-11995


Tgt Ion:114 Resp: 583612  
Ion Ratio Lower Upper  
114 100  
63 17.6 0.0 43.2  
88 15.1 0.0 31.8



#35  
Dibromofluoromethane  
Concen: 57.682 ug/l  
RT: 7.715 min Scan# 967  
Delta R.T. 0.005 min  
Lab File: VY011418.D  
Acq: 11 Nov 2022 15:02

Tgt Ion:113 Resp: 188659  
Ion Ratio Lower Upper  
113 100  
111 102.8 82.6 124.0  
192 20.7 17.6 26.4









#50  
Toluene-d8  
Concen: 56.875 ug/l  
RT: 10.178 min Scan# 11  
Delta R.T. -0.001 min  
Lab File: VY011418.D  
Acq: 11 Nov 2022 15:02




Instrument :  
MSVOA\_Y  
ClientSampleId :  
72-11995


Tgt Ion: 98 Resp: 710660  
Ion Ratio Lower Upper  
98 100  
100 65.3 50.2 75.2



#62  
4-Bromofluorobenzene  
Concen: 49.959 ug/l  
RT: 12.483 min Scan# 1749  
Delta R.T. -0.000 min  
Lab File: VY011418.D  
Acq: 11 Nov 2022 15:02

Tgt Ion: 95 Resp: 217731  
Ion Ratio Lower Upper  
95 100  
174 88.6 0.0 177.0  
176 85.3 0.0 175.8









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.489 min Scan# 11  
Delta R.T. -0.001 min  
Lab File: VY011418.D  
Acq: 11 Nov 2022 15:02

Instrument :  
MSVOA\_Y  
ClientSampleId :  
72-11995

Tgt Ion:117 Resp: 508539  
Ion Ratio Lower Upper  
117 100  
82 53.0 43.0 64.4  
119 32.5 25.4 38.0



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.422 min Scan# 1903  
Delta R.T. -0.000 min  
Lab File: VY011418.D  
Acq: 11 Nov 2022 15:02

Tgt Ion:152 Resp: 222653  
Ion Ratio Lower Upper  
152 100  
115 57.4 28.2 84.7  
150 156.1 0.0 347.6

