

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111125\
 Data File : VY023745.D
 Acq On : 11 Nov 2025 17:11
 Operator : SY/MD
 Sample : Q3601-07
 Misc : 4.69g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-2-VOC

Quant Time: Nov 12 03:39:43 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	810821	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1361856	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1140427	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	462454	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	351989	51.914	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	103.820%
35) Dibromofluoromethane	7.640	113	419981	50.189	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.380%
50) Toluene-d8	10.109	98	1500096	48.137	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.280%
62) 4-Bromofluorobenzene	12.408	95	437035	42.478	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.960%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111125\
Data File : VY023745.D
Acq On : 11 Nov 2025 17:11
Operator : SY/MD
Sample : Q3601-07
Misc : 4.69g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-2-VOC

Quant Time: Nov 12 03:39:43 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

