

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111125\
 Data File : VY023745.D
 Acq On : 11 Nov 2025 17:11
 Operator : SY/MD
 Sample : Q3601-07
 Misc : 4.69g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-2-VOC

Quant Time: Nov 12 03:39:43 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	810821	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1361856	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1140427	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	462454	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	351989	51.914	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	103.820%
35) Dibromofluoromethane	7.640	113	419981	50.189	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.380%
50) Toluene-d8	10.109	98	1500096	48.137	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.280%
62) 4-Bromofluorobenzene	12.408	95	437035	42.478	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.960%


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111125\
Data File : VY023745.D
Acq On : 11 Nov 2025 17:11
Operator : SY/MD
Sample : Q3601-07
Misc : 4.69g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-2-VOC

Quant Time: Nov 12 03:39:43 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY023745.D
Acq: 11 Nov 2025 17:11




Instrument :
MSVOA_Y
ClientSampleId :
TP-2-VOC


Tgt Ion:168 Resp: 810821
Ion Ratio Lower Upper
168 100
99 47.4 39.7 59.5



#33
1,2-Dichloroethane-d4
Concen: 51.914 ug/l
RT: 8.067 min Scan# 1041
Delta R.T. 0.006 min
Lab File: VY023745.D
Acq: 11 Nov 2025 17:11

Tgt Ion: 65 Resp: 351989
Ion Ratio Lower Upper
65 100
67 53.4 0.0 105.8








#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. 0.000 min
Lab File: VY023745.D
Acq: 11 Nov 2025 17:11




Instrument :
MSVOA_Y
ClientSampleId :
TP-2-VOC


Tgt Ion:114 Resp: 1361856
Ion Ratio Lower Upper
114 100
63 16.7 0.0 34.2
88 14.4 0.0 28.4



#35
Dibromofluoromethane
Concen: 50.189 ug/l
RT: 7.640 min Scan# 971
Delta R.T. 0.006 min
Lab File: VY023745.D
Acq: 11 Nov 2025 17:11

Tgt Ion:113 Resp: 419981
Ion Ratio Lower Upper
113 100
111 102.0 81.8 122.6
192 22.1 18.0 27.0








#50
Toluene-d8
Concen: 48.137 ug/l
RT: 10.109 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY023745.D
Acq: 11 Nov 2025 17:11




Instrument :
MSVOA_Y
ClientSampleId :
TP-2-VOC


Tgt Ion: 98 Resp: 1500096
Ion Ratio Lower Upper
98 100
100 66.3 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 42.478 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.006 min
Lab File: VY023745.D
Acq: 11 Nov 2025 17:11

Tgt Ion: 95 Resp: 437035
Ion Ratio Lower Upper
95 100
174 96.5 0.0 192.8
176 93.2 0.0 187.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 11

Delta R.T. 0.006 min

Lab File: VY023745.D

Acq: 11 Nov 2025 17:11

Instrument :

MSVOA_Y

ClientSampleId :

TP-2-VOC





Tgt Ion:117 Resp: 1140427

Ion Ratio Lower Upper

117 100

82 48.8 41.0 61.4

119 32.3 25.6 38.4



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.347 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY023745.D

Acq: 11 Nov 2025 17:11

Tgt Ion:152 Resp: 462454

Ion Ratio Lower Upper

152 100

115 53.7 27.1 81.2

150 156.8 0.0 347.4

