

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111224\
 Data File : VY020263.D
 Acq On : 12 Nov 2024 12:44
 Operator : SY/MD
 Sample : VY1112SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1112SBL01

Quant Time: Nov 13 00:32:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	174985	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	365228	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	325551	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	104886	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	113339	51.897	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	103.800%
35) Dibromofluoromethane	7.640	113	117102	50.429	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.860%
50) Toluene-d8	10.109	98	450954	48.788	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.580%
62) 4-Bromofluorobenzene	12.408	95	128893	42.932	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	85.860%


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111224\
Data File : VY020263.D
Acq On : 12 Nov 2024 12:44
Operator : SY/MD
Sample : VY1112SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1112SBL01


Quant Time: Nov 13 00:32:49 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 98
Delta R.T. 0.006 min
Lab File: VY020263.D
Acq: 12 Nov 2024 12:44

Instrument :
MSVOA_Y
ClientSampleId :
VY1112SBL01







Tgt Ion:168 Resp: 174985
Ion Ratio Lower Upper
168 100
99 63.1 39.1 58.7#



#33
1,2-Dichloroethane-d4
Concen: 51.897 ug/l
RT: 8.067 min Scan# 1041
Delta R.T. 0.006 min
Lab File: VY020263.D
Acq: 12 Nov 2024 12:44

Tgt Ion: 65 Resp: 113339
Ion Ratio Lower Upper
65 100
67 52.3 0.0 109.6









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.616 min Scan# 1131
 Delta R.T. 0.000 min
 Lab File: VY020263.D
 Acq: 12 Nov 2024 12:44




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1112SBL01


Tgt Ion:	114	Resp:	365228
Ion	Ratio	Lower	Upper
114	100		
63	21.6	0.0	35.0
88	16.0	0.0	27.2



#35
 Dibromofluoromethane
 Concen: 50.429 ug/l
 RT: 7.640 min Scan# 971
 Delta R.T. 0.006 min
 Lab File: VY020263.D
 Acq: 12 Nov 2024 12:44

Tgt Ion:	113	Resp:	117102
Ion	Ratio	Lower	Upper
113	100		
111	104.7	82.2	123.4
192	16.6	15.9	23.9





#50

Toluene-d8

Concen: 48.788 ug/l

RT: 10.109 min Scan# 1375

Delta R.T. 0.000 min

Lab File: VY020263.D

Acq: 12 Nov 2024 12:44

Instrument :

MSVOA_Y

ClientSampleId :





VY1112SBL01

Tgt Ion: 98 Resp: 450954

Ion Ratio Lower Upper

98 100

100 63.6 52.0 78.0



#62

4-Bromofluorobenzene

Concen: 42.932 ug/l

RT: 12.408 min Scan# 1753

Delta R.T. 0.000 min

Lab File: VY020263.D

Acq: 12 Nov 2024 12:44




Tgt Ion: 95 Resp: 128893


Ion Ratio Lower Upper

95 100

174 72.0 0.0 175.6

176 69.9 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 15

Delta R.T. 0.000 min

Lab File: VY020263.D

Acq: 12 Nov 2024 12:44

Instrument :

MSVOA_Y

ClientSampleId :

VY1112SBL01





Tgt Ion:117 Resp: 325551

Ion Ratio Lower Upper

117 100

82 59.1 42.4 63.6

119 32.5 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.353 min Scan# 1908

Delta R.T. 0.006 min

Lab File: VY020263.D

Acq: 12 Nov 2024 12:44

Tgt Ion:152 Resp: 104886

Ion Ratio Lower Upper

152 100

115 63.3 28.2 84.7

150 156.9 0.0 345.6

