

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111225\
 Data File : VY023753.D
 Acq On : 12 Nov 2025 10:37
 Operator : SY/MD
 Sample : VY1112SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1112SBL01

Quant Time: Nov 14 03:33:43 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	769463	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1302390	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1092818	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	431668	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	376845	57.414	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.820%
35) Dibromofluoromethane	7.640	113	415926	51.102	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.200%
50) Toluene-d8	10.109	98	1458000	48.089	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.180%
62) 4-Bromofluorobenzene	12.408	95	415705	42.398	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.800%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111225\
Data File : VY023753.D
Acq On : 12 Nov 2025 10:37
Operator : SY/MD
Sample : VY1112SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1112SBL01

Quant Time: Nov 14 03:33:43 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 05 04:41:50 2025
Response via : Initial Calibration

