

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111225\
 Data File : VY023763.D
 Acq On : 12 Nov 2025 14:57
 Operator : SY/MD
 Sample : Q3609-02
 Misc : 5.56g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 AU-713-VOC-01

Quant Time: Nov 14 03:39:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	734205	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1247183	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1040803	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	383738	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	346842	55.381	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.760%
35) Dibromofluoromethane	7.634	113	391907	50.283	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.560%
50) Toluene-d8	10.109	98	1391970	47.944	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.880%
62) 4-Bromofluorobenzene	12.408	95	386707	41.187	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	82.380%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111225\
Data File : VY023763.D
Acq On : 12 Nov 2025 14:57
Operator : SY/MD
Sample : Q3609-02
Misc : 5.56g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
AU-713-VOC-01

Quant Time: Nov 14 03:39:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 05 04:41:50 2025
Response via : Initial Calibration

