

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111225\
 Data File : VY023768.D
 Acq On : 12 Nov 2025 16:55
 Operator : SY/MD
 Sample : Q3614-01
 Misc : 5.60g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 COMP-1

Quant Time: Nov 14 03:41:05 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	768671	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	1331047	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1154176	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	463172	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.060	65	390445	59.548	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.100%
35) Dibromofluoromethane	7.634	113	425167	51.113	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.220%
50) Toluene-d8	10.109	98	1503439	48.521	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.040%
62) 4-Bromofluorobenzene	12.401	95	453321	45.239	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	90.480%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111225\
Data File : VY023768.D
Acq On : 12 Nov 2025 16:55
Operator : SY/MD
Sample : Q3614-01
Misc : 5.60g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
COMP-1

Quant Time: Nov 14 03:41:05 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 05 04:41:50 2025
Response via : Initial Calibration

