

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111225\
 Data File : VY023763.D
 Acq On : 12 Nov 2025 14:57
 Operator : SY/MD
 Sample : Q3609-02
 Misc : 5.56g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 AU-713-VOC-01

Quant Time: Nov 14 03:39:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	734205	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1247183	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1040803	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	383738	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	346842	55.381	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.760%
35) Dibromofluoromethane	7.634	113	391907	50.283	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.560%
50) Toluene-d8	10.109	98	1391970	47.944	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.880%
62) 4-Bromofluorobenzene	12.408	95	386707	41.187	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	82.380%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111225\
Data File : VY023763.D
Acq On : 12 Nov 2025 14:57
Operator : SY/MD
Sample : Q3609-02
Misc : 5.56g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
AU-713-VOC-01

Quant Time: Nov 14 03:39:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 05 04:41:50 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 99
Delta R.T. 0.006 min
Lab File: VY023763.D
Acq: 12 Nov 2025 14:57




Instrument :
MSVOA_Y
ClientSampleId :
AU-713-VOC-01


Tgt Ion:168 Resp: 734205
Ion Ratio Lower Upper
168 100
99 47.5 41.0 61.4



#33
1,2-Dichloroethane-d4
Concen: 55.381 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY023763.D
Acq: 12 Nov 2025 14:57

Tgt Ion: 65 Resp: 346842
Ion Ratio Lower Upper
65 100
67 52.5 0.0 107.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. -0.000 min
Lab File: VY023763.D
Acq: 12 Nov 2025 14:57




Instrument :
MSVOA_Y
ClientSampleId :
AU-713-VOC-01


Tgt Ion:114 Resp: 1247183
Ion Ratio Lower Upper
114 100
63 17.4 0.0 33.8
88 14.3 0.0 29.0



#35
Dibromofluoromethane
Concen: 50.283 ug/l
RT: 7.634 min Scan# 970
Delta R.T. -0.000 min
Lab File: VY023763.D
Acq: 12 Nov 2025 14:57

Tgt Ion:113 Resp: 391907
Ion Ratio Lower Upper
113 100
111 103.3 82.2 123.4
192 22.0 17.3 25.9









#50
Toluene-d8
Concen: 47.944 ug/l
RT: 10.109 min Scan# 1376
Delta R.T. -0.000 min
Lab File: VY023763.D
Acq: 12 Nov 2025 14:57




Instrument :
MSVOA_Y
ClientSampleId :
AU-713-VOC-01


Tgt Ion: 98 Resp: 1391970
Ion Ratio Lower Upper
98 100
100 65.1 52.7 79.1



#62
4-Bromofluorobenzene
Concen: 41.187 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.006 min
Lab File: VY023763.D
Acq: 12 Nov 2025 14:57

Tgt Ion: 95 Resp: 386707
Ion Ratio Lower Upper
95 100
174 94.2 0.0 184.8
176 91.1 0.0 181.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 117
Delta R.T. -0.000 min
Lab File: VY023763.D
Acq: 12 Nov 2025 14:57

Instrument :
MSVOA_Y
ClientSampleId :
AU-713-VOC-01

Tgt Ion:117 Resp: 1040803
Ion Ratio Lower Upper
117 100
82 51.5 41.2 61.8
119 31.7 26.2 39.2



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. -0.000 min
Lab File: VY023763.D
Acq: 12 Nov 2025 14:57

Tgt Ion:152 Resp: 383738
Ion Ratio Lower Upper
152 100
115 55.4 27.5 82.5
150 155.6 0.0 349.0

