

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112024\
 Data File : VY020355.D
 Acq On : 20 Nov 2024 13:30
 Operator : SY/MD
 Sample : P4916-03
 Misc : 3.07g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-1-VOC

Quant Time: Nov 21 00:46:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 20 04:38:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	160275	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	310002	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	289428	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	117815	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	98673	53.587	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	107.180%
35) Dibromofluoromethane	7.634	113	96259	48.424	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	96.840%
50) Toluene-d8	10.103	98	380673	48.614	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.220%
62) 4-Bromofluorobenzene	12.401	95	130847	51.980	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	103.960%

Target Compounds Qvalue

 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112024\
Data File : VY020355.D
Acq On : 20 Nov 2024 13:30
Operator : SY/MD
Sample : P4916-03
Misc : 3.07g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-1-VOC

Quant Time: Nov 21 00:46:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 20 04:38:24 2024
Response via : Initial Calibration

