

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112024\
 Data File : VY020368.D
 Acq On : 20 Nov 2024 18:35
 Operator : SY/MD
 Sample : P4860-03
 Misc : 6.20g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PH2-BOT-002

Quant Time: Nov 21 04:41:26 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 20 04:38:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	137679	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	269671	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	257307	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	102362	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	92673	58.588	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.180%
35) Dibromofluoromethane	7.634	113	86578	50.068	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.140%
50) Toluene-d8	10.109	98	333450	48.952	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.900%
62) 4-Bromofluorobenzene	12.408	95	113373	51.775	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	103.540%

Target Compounds Qvalue

 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112024\
Data File : VY020368.D
Acq On : 20 Nov 2024 18:35
Operator : SY/MD
Sample : P4860-03
Misc : 6.20g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PH2-BOT-002

Quant Time: Nov 21 04:41:26 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y111924S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 20 04:38:24 2024
Response via : Initial Calibration

