

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112625\
 Data File : VY023825.D
 Acq On : 26 Nov 2025 14:31
 Operator : SY/MD
 Sample : Q3725-04
 Misc : 5.84g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 STOCKPILE-SAMPLES

Quant Time: Nov 27 01:22:52 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y112625S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 27 01:14:36 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	711387	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1273779	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	920727	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	270468	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	393390	56.784	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.560%
35) Dibromofluoromethane	7.634	113	404010	53.542	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.080%
50) Toluene-d8	10.109	98	1449882	48.375	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.760%
62) 4-Bromofluorobenzene	12.401	95	330728	33.537	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	67.080%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112625\
Data File : VY023825.D
Acq On : 26 Nov 2025 14:31
Operator : SY/MD
Sample : Q3725-04
Misc : 5.84g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
STOCKPILE-SAMPLES

Quant Time: Nov 27 01:22:52 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y112625S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 27 01:14:36 2025
Response via : Initial Calibration

