

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\YY112625\
 Data File : VY023827.D
 Acq On : 26 Nov 2025 15:17
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 27 01:23:32 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y112625S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 27 01:14:36 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.377	0.314	16.7	93	0.00
3 P	Chloromethane	0.576	0.506	12.2	95	0.00
4 C	Vinyl Chloride	0.624	0.590	5.4#	98	0.00
5 T	Bromomethane	0.440	0.414	5.9	108	0.00
6 T	Chloroethane	0.406	0.408	-0.5	103	0.00
7 T	Trichlorofluoromethane	0.843	0.795	5.7	98	0.00
8 T	Diethyl Ether	0.266	0.256	3.8	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.492	0.456	7.3	97	0.00
10 T	Methyl Iodide	0.539	0.556	-3.2	96	0.00
11 T	Tert butyl alcohol	0.040	0.029	27.5#	87	0.00
12 CM	1,1-Dichloroethene	0.484	0.462	4.5#	98	0.00
13 T	Acrolein	0.057	0.048	15.8	86	0.00
14 T	Allyl chloride	0.767	0.724	5.6	95	0.00
15 T	Acrylonitrile	0.115	0.108	6.1	94	0.00
16 T	Acetone	0.140	0.116	17.1	86	0.00
17 T	Carbon Disulfide	1.562	1.434	8.2	95	0.00
18 T	Methyl Acetate	0.271	0.261	3.7	102	0.00
19 T	Methyl tert-butyl Ether	1.237	1.240	-0.2	100	0.00
20 T	Methylene Chloride	0.593	0.527	11.1	100	0.00
21 T	trans-1,2-Dichloroethene	0.536	0.522	2.6	99	0.00
22 T	Diisopropyl ether	1.658	1.680	-1.3	100	0.00
23 T	Vinyl Acetate	0.922	0.910	1.3	95	0.00
24 P	1,1-Dichloroethane	0.976	0.943	3.4	99	0.00
25 T	2-Butanone	0.171	0.149	12.9	89	0.00
26 T	2,2-Dichloropropane	0.865	0.789	8.8	94	0.00
27 T	cis-1,2-Dichloroethene	0.622	0.620	0.3	102	0.00
28 T	Bromochloromethane	0.406	0.399	1.7	100	0.00
29 T	Tetrahydrofuran	0.095	0.089	6.3	92	0.00
30 C	Chloroform	0.981	0.970	1.1#	101	0.00
31 T	Cyclohexane	0.936	0.838	10.5	94	0.00
32 T	1,1,1-Trichloroethane	0.871	0.845	3.0	100	0.00
33 S	1,2-Dichloroethane-d4	0.487	0.481	1.2	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.00
35 S	Dibromofluoromethane	0.296	0.294	0.7	98	0.00
36 T	1,1-Dichloropropene	0.454	0.441	2.9	98	0.00
37 T	Ethyl Acetate	0.214	0.205	4.2	95	0.00
38 T	Carbon Tetrachloride	0.498	0.481	3.4	98	0.00
39 T	Methylcyclohexane	0.600	0.572	4.7	95	0.00
40 TM	Benzene	1.398	1.369	2.1	100	0.00
41 T	Methacrylonitrile	0.107	0.111	-3.7	108	0.00
42 TM	1,2-Dichloroethane	0.360	0.363	-0.8	102	0.00
43 T	Isopropyl Acetate	0.399	0.390	2.3	97	0.00
44 TM	Trichloroethene	0.359	0.356	0.8	101	0.00
45 C	1,2-Dichloropropane	0.330	0.330	0.0	101	0.00
46 T	Dibromomethane	0.179	0.180	-0.6	102	0.00
47 T	Bromodichloromethane	0.467	0.472	-1.1	103	0.00
48 T	Methyl methacrylate	0.188	0.189	-0.5	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112625\
 Data File : VY023827.D
 Acq On : 26 Nov 2025 15:17
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 27 01:23:32 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y112625S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 27 01:14:36 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	98	0.00
50 S	Toluene-d8	1.176	1.170	0.5	97	0.00
51 T	4-Methyl-2-Pentanone	0.210	0.205	2.4	94	0.00
52 CM	Toluene	0.866	0.877	-1.3#	99	0.00
53 T	t-1,3-Dichloropropene	0.428	0.430	-0.5	99	0.00
54 T	cis-1,3-Dichloropropene	0.512	0.510	0.4	100	0.00
55 T	1,1,2-Trichloroethane	0.240	0.238	0.8	99	0.00
56 T	Ethyl methacrylate	0.314	0.321	-2.2	97	0.00
57 T	1,3-Dichloropropane	0.418	0.419	-0.2	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.151	0.152	-0.7	98	0.00
59 T	2-Hexanone	0.155	0.144	7.1	90	0.00
60 T	Dibromochloromethane	0.321	0.326	-1.6	102	0.00
61 T	1,2-Dibromoethane	0.222	0.221	0.5	101	0.00
62 S	4-Bromofluorobenzene	0.387	0.393	-1.6	101	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	102	0.00
64 T	Tetrachloroethene	0.474	0.461	2.7	100	0.00
65 PM	Chlorobenzene	1.098	1.084	1.3	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.373	0.377	-1.1	104	0.00
67 C	Ethyl Benzene	1.875	1.883	-0.4#	100	0.00
68 T	m/p-Xylenes	0.722	0.728	-0.8	100	0.00
69 T	o-Xylene	0.677	0.688	-1.6	102	0.00
70 T	Styrene	1.116	1.153	-3.3	101	0.00
71 P	Bromoform	0.217	0.213	1.8	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	104	0.00
73 T	Isopropylbenzene	3.549	3.459	2.5	100	0.00
74 T	N-amyl acetate	0.793	0.755	4.8	95	0.00
75 P	1,1,2,2-Tetrachloroethane	0.584	0.542	7.2	98	0.00
76 T	1,2,3-Trichloropropane	0.435	0.400	8.0	94	0.00
77 T	Bromobenzene	0.835	0.802	4.0	101	0.00
78 T	n-propylbenzene	4.272	4.127	3.4	99	0.00
79 T	2-Chlorotoluene	2.459	2.350	4.4	99	0.00
80 T	1,3,5-Trimethylbenzene	2.897	2.829	2.3	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.206	0.190	7.8	95	0.00
82 T	4-Chlorotoluene	2.525	2.423	4.0	99	0.00
83 T	tert-Butylbenzene	2.602	2.542	2.3	100	0.00
84 T	1,2,4-Trimethylbenzene	2.895	2.852	1.5	100	0.00
85 T	sec-Butylbenzene	3.842	3.692	3.9	98	0.00
86 T	p-Isopropyltoluene	3.211	3.126	2.6	98	0.00
87 T	1,3-Dichlorobenzene	1.673	1.609	3.8	101	0.00
88 T	1,4-Dichlorobenzene	1.670	1.572	5.9	100	0.00
89 T	n-Butylbenzene	2.944	2.850	3.2	97	0.00
90 T	Hexachloroethane	0.675	0.638	5.5	101	0.00
91 T	1,2-Dichlorobenzene	1.463	1.405	4.0	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.098	0.084	14.3	93	0.00
93 T	1,2,4-Trichlorobenzene	0.872	0.830	4.8	99	0.00
94 T	Hexachlorobutadiene	0.543	0.511	5.9	101	0.00
95 T	Naphthalene	1.471	1.406	4.4	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY112625\
Data File : VY023827.D
Acq On : 26 Nov 2025 15:17
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Nov 27 01:23:32 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y112625S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 27 01:14:36 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.743	0.715	3.8	101	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 5