

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120324\
 Data File : VY020501.D
 Acq On : 03 Dec 2024 13:03
 Operator : SY/MD
 Sample : P5025-08
 Misc : 5.63g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SOIL-EAST-GRAB

Quant Time: Dec 03 21:45:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120224S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 03 01:39:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.719	168	192388	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	378162	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	343222	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.352	152	120971	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.073	65	114869	58.708	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.420%
35) Dibromofluoromethane	7.646	113	116956	49.127	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.260%
50) Toluene-d8	10.115	98	452774	49.946	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.900%
62) 4-Bromofluorobenzene	12.414	95	140982	44.466	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	88.940%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120324\
Data File : VY020501.D
Acq On : 03 Dec 2024 13:03
Operator : SY/MD
Sample : P5025-08
Misc : 5.63g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SOIL-EAST-GRAB


Quant Time: Dec 03 21:45:13 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120224S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 03 01:39:23 2024
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.719 min Scan# 984
Delta R.T. 0.000 min
Lab File: VY020501.D
Acq: 03 Dec 2024 13:03

Instrument :
MSVOA_Y
ClientSampleId :
SOIL-EAST-GRAB







Tgt Ion:168 Resp: 192388
Ion Ratio Lower Upper
168 100
99 59.1 46.6 69.8



#33
1,2-Dichloroethane-d4
Concen: 58.708 ug/l
RT: 8.073 min Scan# 1042
Delta R.T. -0.000 min
Lab File: VY020501.D
Acq: 03 Dec 2024 13:03

Tgt Ion: 65 Resp: 114869
Ion Ratio Lower Upper
65 100
67 50.7 0.0 105.8









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.622 min Scan# 1132
 Delta R.T. -0.000 min
 Lab File: VY020501.D
 Acq: 03 Dec 2024 13:03




Instrument :
 MSVOA_Y
 ClientSampleId :
 SOIL-EAST-GRAB


Tgt Ion:	114	Resp:	378162
Ion	Ratio	Lower	Upper
114	100		
63	21.1	0.0	44.8
88	16.0	0.0	32.0



#35
 Dibromofluoromethane
 Concen: 49.127 ug/l
 RT: 7.646 min Scan# 972
 Delta R.T. -0.000 min
 Lab File: VY020501.D
 Acq: 03 Dec 2024 13:03

Tgt Ion:	113	Resp:	116956
Ion	Ratio	Lower	Upper
113	100		
111	103.8	81.4	122.0
192	19.0	15.1	22.7





#50

Toluene-d8

Concen: 49.946 ug/l

RT: 10.115 min Scan# 1377

Delta R.T. -0.000 min

Lab File: VY020501.D

Acq: 03 Dec 2024 13:03

Instrument :

MSVOA_Y

ClientSampleId :





SOIL-EAST-GRAB

Tgt Ion: 98 Resp: 452774

Ion Ratio Lower Upper

98 100

100 64.9 51.3 76.9



#62

4-Bromofluorobenzene

Concen: 44.466 ug/l

RT: 12.414 min Scan# 1754

Delta R.T. -0.000 min

Lab File: VY020501.D

Acq: 03 Dec 2024 13:03




Tgt Ion: 95 Resp: 140982


Ion Ratio Lower Upper

95 100

174 80.4 0.0 156.8

176 78.7 0.0 152.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 1592

Delta R.T. -0.006 min

Lab File: VY020501.D

Acq: 03 Dec 2024 13:03

Instrument :

MSVOA_Y

ClientSampleId :

SOIL-EAST-GRAB





Tgt Ion:117 Resp: 343222

Ion Ratio Lower Upper

117 100

82 58.6 48.2 72.4

119 31.8 25.8 38.8



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.352 min Scan# 1908

Delta R.T. -0.000 min

Lab File: VY020501.D

Acq: 03 Dec 2024 13:03

Tgt Ion:152 Resp: 120971

Ion Ratio Lower Upper

152 100

115 60.8 30.0 90.0

150 156.7 0.0 348.2

