

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120425\
 Data File : VY023894.D
 Acq On : 04 Dec 2025 15:06
 Operator : SY/MD
 Sample : Q3742-07
 Misc : 4.97g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-1125-18

Quant Time: Dec 05 01:47:55 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120325S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 04 03:49:13 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	781859	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1291434	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1105691	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	482687	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	367481	46.984	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	93.960%
35) Dibromofluoromethane	7.640	113	400845	48.394	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	96.780%
50) Toluene-d8	10.109	98	1471058	45.640	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	91.280%
62) 4-Bromofluorobenzene	12.408	95	459268	41.776	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	83.560%
Target Compounds						
16) Acetone	3.879	43	56042	23.912	ug/l	Qvalue 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY120425\
Data File : VY023894.D
Acq On : 04 Dec 2025 15:06
Operator : SY/MD
Sample : Q3742-07
Misc : 4.97g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-1125-18

Quant Time: Dec 05 01:47:55 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y120325S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 04 03:49:13 2025
Response via : Initial Calibration

