

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY122022\  
 Data File : VY011930.D  
 Acq On : 20 Dec 2022 18:20  
 Operator : KP/MD  
 Sample : N6067-01  
 Misc : 5.08g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 23 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 WC-SOIL-20221214

Quant Time: Dec 21 00:10:29 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y122022S.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Dec 20 12:37:37 2022  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|-------|----------|
| -----                       |        |       |          |          |       |          |
| Internal Standards          |        |       |          |          |       |          |
| 1) Pentafluorobenzene       | 0.000  | 168   | 0        | 0.000    | ug/l  | -7.79    |
| 34) 1,4-Difluorobenzene     | 0.000  | 114   | 0        | 0.000    | ug/l  | -8.69    |
| 63) Chlorobenzene-d5        | 0.000  | 117   | 0        | 0.000    | ug/l  | -11.49   |
| 72) 1,4-Dichlorobenzene-d4  | 0.000  | 152   | 0        | 0.000    | ug/l  | -13.43   |
| System Monitoring Compounds |        |       |          |          |       |          |
| 33) 1,2-Dichloroethane-d4   | 0.000  | 65    | 0        | 0.000    | ug/l  |          |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =     | 0.000%#  |
| 35) Dibromofluoromethane    | 0.000  | 113   | 0        | 0.000    | ug/l  |          |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =     | 0.000%#  |
| 50) Toluene-d8              | 0.000  | 98    | 0        | 0.000    | ug/l  |          |
| Spiked Amount               | 50.000 | Range | 49 - 140 | Recovery | =     | 0.000%#  |
| 62) 4-Bromofluorobenzene    | 0.000  | 95    | 0        | 0.000    | ug/l  |          |
| Spiked Amount               | 50.000 | Range | 25 - 144 | Recovery | =     | 0.000%#  |


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY122022\  
Data File : VY011930.D  
Acq On : 20 Dec 2022 18:20  
Operator : KP/MD  
Sample : N6067-01  
Misc : 5.08g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 23 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
WC-SOIL-20221214

Quant Time: Dec 21 00:10:29 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y122022S.M  
Quant Title : SW846 8260  
QLast Update : Tue Dec 20 12:37:37 2022  
Response via : Initial Calibration







#1  
Pentafluorobenzene  
Concen: 0.000 ug/l  
Expected RT: 7.79 min  
  
Lab File: VY011930.D  
Acq: 20 Dec 2022 18:20


Instrument :  
MSVOA\_Y  
ClientSampleId :  
WC-SOIL-20221214


Tgt Ion: 168  
Sig Exp Ratio  
168 100  
99 55.0



#33  
1,2-Dichloroethane-d4  
Concen: 0.000 ug/l  
Expected RT: 8.14 min  
  
Lab File: VY011930.D  
Acq: 20 Dec 2022 18:20

Tgt Ion: 65  
Sig Exp Ratio  
65 100  
67 51.6







#34  
1,4-Difluorobenzene  
Concen: 0.000 ug/l  
Expected RT: 8.69 min

Lab File: VY011930.D  
Acq: 20 Dec 2022 18:20

Instrument :  
MSVOA\_Y  
ClientSampleId :  
WC-SOIL-20221214


Tgt Ion: 114  
Sig Exp Ratio  
114 100  
63 19.8  
88 16.1




#35  
Dibromofluoromethane  
Concen: 0.000 ug/l  
Expected RT: 7.72 min

Lab File: VY011930.D  
Acq: 20 Dec 2022 18:20



Tgt Ion: 113  
Sig Exp Ratio  
113 100  
111 103.7  
192 20.0







#50  
Toluene-d8  
Concen: 0.000 ug/l  
Expected RT: 10.18 min  
  
Lab File: VY011930.D  
Acq: 20 Dec 2022 18:20  
  
Tgt Ion: 98  
Sig Exp Ratio  
98 100  
100 64.9

Instrument :  
MSVOA\_Y  
ClientSampleId :  
WC-SOIL-20221214



#62  
4-Bromofluorobenzene  
Concen: 0.000 ug/l  
Expected RT: 12.48 min  
  
Lab File: VY011930.D  
Acq: 20 Dec 2022 18:20  
  
Tgt Ion: 95  
Sig Exp Ratio  
95 100  
174 86.0  
176 83.8







#63  
 Chlorobenzene-d5  
 Concen: 0.000 ug/l  
 Expected RT: 11.49 min  
 Lab File: VY011930.D  
 Acq: 20 Dec 2022 18:20

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 WC-SOIL-20221214

Tgt Ion: 117  

| Sig | Exp Ratio |
|-----|-----------|
| 117 | 100       |
| 82  | 56.0      |
| 119 | 31.8      |



#72  
 1,4-Dichlorobenzene-d4  
 Concen: 0.000 ug/l  
 Expected RT: 13.43 min  
 Lab File: VY011930.D  
 Acq: 20 Dec 2022 18:20

Tgt Ion: 152  

| Sig | Exp Ratio |
|-----|-----------|
| 152 | 100       |
| 115 | 58.2      |
| 150 | 171.3     |

