

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122122\
 Data File : VY011943.D
 Acq On : 21 Dec 2022 13:50
 Operator : KP/MD
 Sample : N6051-01
 Misc : 6.26g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SP-591

Quant Time: Dec 22 00:13:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122022S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 20 12:37:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.783	168	6125	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	11064	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	10934	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	3754	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	5415	87.752	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	175.500%#
35) Dibromofluoromethane	7.722	113	2614	39.244	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	78.480%
50) Toluene-d8	10.179	98	13503	49.966	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	99.940%
62) 4-Bromofluorobenzene	12.477	95	4081	44.901	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	89.800%
Target Compounds						
					Qvalue	
3) Chloromethane	2.113	50	281	5.155	ug/l #	85
5) Bromomethane	2.668	94	493	11.527	ug/l #	77
10) Methyl Iodide	4.094	142	1519	18.951	ug/l #	94
16) Acetone	3.936	43	37	6.844	ug/l #	40
20) Methylene Chloride	4.710	84	895	7.481	ug/l #	78
36) 1,1-Dichloropropene	7.795	75	362	3.388	ug/l #	41
38) Carbon Tetrachloride	7.783	117	605	4.903	ug/l #	14
60) Dibromochloromethane	10.721	129	143	1.966	ug/l #	11
64) Tetrachloroethene	10.721	164	106	1.108	ug/l	92
65) Chlorobenzene	11.508	112	263	1.158	ug/l #	43
68) m/p-Xylenes	11.703	106	304	1.905	ug/l	85
70) Styrene	12.050	104	280	1.123	ug/l #	70
73) Isopropylbenzene	12.331	105	411	1.475	ug/l #	67
76) 1,2,3-Trichloropropane	12.483	75	1974	42.259	ug/l #	100
78) n-propylbenzene	12.678	91	501	1.496	ug/l	78
79) 2-Chlorotoluene	12.751	91	359	1.907	ug/l	87
80) 1,3,5-Trimethylbenzene	12.812	105	275	1.153	ug/l	91
81) trans-1,4-Dichloro-2-b...	12.483	75	1974	115.725	ug/l #	13
82) 4-Chlorotoluene	12.751	91	359	1.843	ug/l	87
83) tert-Butylbenzene	13.081	119	325	1.608	ug/l	80
84) 1,2,4-Trimethylbenzene	13.117	105	319	1.360	ug/l	88
85) sec-Butylbenzene	13.251	105	452	1.498	ug/l	93
86) p-Isopropyltoluene	13.373	119	307	1.205	ug/l #	85
87) 1,3-Dichlorobenzene	13.373	146	332	2.562	ug/l	73
88) 1,4-Dichlorobenzene	13.446	146	500	3.880	ug/l	94
89) n-Butylbenzene	13.696	91	393	1.705	ug/l #	86
91) 1,2-Dichlorobenzene	13.745	146	345	3.053	ug/l	90
93) 1,2,4-Trichlorobenzene	15.007	180	143	2.151	ug/l #	71
95) Naphthalene	15.239	128	341	5.108	ug/l #	69
96) 1,2,3-Trichlorobenzene	15.422	180	111	1.975	ug/l #	60


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122122\
Data File : VY011943.D
Acq On : 21 Dec 2022 13:50
Operator : KP/MD
Sample : N6051-01
Misc : 6.26g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SP-591

Quant Time: Dec 22 00:13:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122022S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 20 12:37:37 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:168 Resp: 6125
Ion Ratio Lower Upper
168 100
99 51.9 44.0 66.0



#3
Chloromethane
Concen: 5.155 ug/l
RT: 2.113 min Scan# 48
Delta R.T. 0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 50 Resp: 281
Ion Ratio Lower Upper
50 100
52 25.2 26.8 40.2#









#5
Bromomethane
Concen: 11.527 ug/l
RT: 2.668 min Scan# 11
Delta R.T. 0.018 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion: 94 Resp: 493
Ion Ratio Lower Upper
94 100
96 74.2 77.4 116.2#



#10
Methyl Iodide
Concen: 18.951 ug/l
RT: 4.094 min Scan# 373
Delta R.T. -0.001 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 142 Resp: 1519
Ion Ratio Lower Upper
142 100
127 47.5 37.0 55.4
141 6.9 11.4 17.0#









#16
Acetone
Concen: 6.844 ug/l
RT: 3.936 min Scan# 34
Delta R.T. -0.012 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion: 43 Resp: 37
Ion Ratio Lower Upper
43 100
58 0.0 27.9 41.9#



#20
Methylene Chloride
Concen: 7.481 ug/l
RT: 4.710 min Scan# 474
Delta R.T. -0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 84 Resp: 895
Ion Ratio Lower Upper
84 100
49 140.9 95.4 143.2
51 60.1 29.9 44.9#
86 75.4 49.6 74.4#





#33

1,2-Dichloroethane-d4

Concen: 87.752 ug/l

RT: 8.136 min Scan# 1103

Delta R.T. -0.007 min

Lab File: VY011943.D

Acq: 21 Dec 2022 13:50

Instrument :

MSVOA_Y

ClientSampleId :





SP-591

Tgt Ion: 65 Resp: 5415

Ion Ratio Lower Upper

65 100

67 53.4 0.0 103.2



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY011943.D

Acq: 21 Dec 2022 13:50




Tgt Ion: 114 Resp: 11064


Ion Ratio Lower Upper

114 100

63 17.6 0.0 39.6

88 13.1 0.0 32.2









#35
Dibromofluoromethane
Concen: 39.244 ug/l
RT: 7.722 min Scan# 90
Delta R.T. 0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:113 Resp: 2614
Ion Ratio Lower Upper
113 100
111 106.8 83.0 124.4
192 23.0 16.0 24.0



#36
1,1-Dichloropropene
Concen: 3.388 ug/l
RT: 7.795 min Scan# 980
Delta R.T. -0.122 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 75 Resp: 362
Ion Ratio Lower Upper
75 100
110 0.0 18.1 54.1#
77 0.0 25.1 37.7#









#38
Carbon Tetrachloride
Concen: 4.903 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.122 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:117 Resp: 605
Ion Ratio Lower Upper
117 100
119 0.0 73.8 110.8#
121 0.0 25.2 37.8#



#50
Toluene-d8
Concen: 49.966 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 98 Resp: 13503
Ion Ratio Lower Upper
98 100
100 62.8 51.9 77.9









#60
Dibromochloromethane
Concen: 1.966 ug/l
RT: 10.721 min Scan# 14
Delta R.T. -0.262 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:129 Resp: 143
Ion Ratio Lower Upper
129 100
127 0.0 38.9 116.6#



#62
4-Bromofluorobenzene
Concen: 44.901 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. -0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 95 Resp: 4081
Ion Ratio Lower Upper
95 100
174 91.3 0.0 172.0
176 85.9 0.0 167.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 117
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:117	Resp:	10934
Ion	Ratio	Lower Upper
117	100	
82	53.1	44.8 67.2
119	30.6	25.4 38.2



#64
Tetrachloroethene
Concen: 1.108 ug/l
RT: 10.721 min Scan# 1460
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion:164	Resp:	106
Ion	Ratio	Lower Upper
164	100	
166	114.3	102.3 153.5
129	105.4	77.2 115.8
131	88.4	72.5 108.7









#65
Chlorobenzene
Concen: 1.158 ug/l
RT: 11.508 min Scan# 1158
Delta R.T. -0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:112 Resp: 263
Ion Ratio Lower Upper
112 100
114 0.0 25.3 37.9#



#68
m/p-Xylenes
Concen: 1.905 ug/l
RT: 11.703 min Scan# 1621
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion:106 Resp: 304
Ion Ratio Lower Upper
106 100
91 179.6 162.5 243.7









#70
Styrene
Concen: 1.123 ug/l
RT: 12.050 min Scan# 104
Delta R.T. 0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:104 Resp: 280
Ion Ratio Lower Upper
104 100
78 17.1 39.4 59.0#
103 43.2 43.0 64.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion:152 Resp: 3754
Ion Ratio Lower Upper
152 100
115 57.0 29.1 87.3
150 155.9 0.0 342.6









#73
Isopropylbenzene
Concen: 1.475 ug/l
RT: 12.331 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:105 Resp: 411
Ion Ratio Lower Upper
105 100
120 9.5 13.2 39.6#



#76
1,2,3-Trichloropropane
Concen: 42.259 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.152 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 75 Resp: 1974
Ion Ratio Lower Upper
75 100
77 0.0 0.0 0.0









#78
n-propylbenzene
Concen: 1.496 ug/l
RT: 12.678 min Scan# 1780
Delta R.T. 0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion: 91 Resp: 501
Ion Ratio Lower Upper
91 100
120 12.6 11.8 35.4



#79
2-Chlorotoluene
Concen: 1.907 ug/l
RT: 12.751 min Scan# 1793
Delta R.T. -0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 91 Resp: 359
Ion Ratio Lower Upper
91 100
126 26.7 17.2 51.5









#80
1,3,5-Trimethylbenzene
Concen: 1.153 ug/l
RT: 12.812 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:105 Resp: 275
Ion Ratio Lower Upper
105 100
120 54.5 24.2 72.6



#81
trans-1,4-Dichloro-2-butene
Concen: 115.725 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.104 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 75 Resp: 1974
Ion Ratio Lower Upper
75 100
53 0.0 72.5 108.7#
89 0.0 37.0 55.4#









#82
4-Chlorotoluene
Concen: 1.843 ug/l
RT: 12.751 min Scan# 11
Delta R.T. -0.104 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion: 91 Resp: 359
Ion Ratio Lower Upper
91 100
126 26.7 17.1 51.2



#83
tert-Butylbenzene
Concen: 1.608 ug/l
RT: 13.081 min Scan# 1847
Delta R.T. 0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion: 119 Resp: 325
Ion Ratio Lower Upper
119 100
91 81.8 32.3 96.8
134 19.1 13.0 39.0









#84
1,2,4-Trimethylbenzene
Concen: 1.360 ug/l
RT: 13.117 min Scan# 1853
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:105 Resp: 319
Ion Ratio Lower Upper
105 100
120 37.9 22.9 68.7



#85
sec-Butylbenzene
Concen: 1.498 ug/l
RT: 13.251 min Scan# 1875
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion:105 Resp: 452
Ion Ratio Lower Upper
105 100
134 16.8 10.1 30.3









#86
p-Isopropyltoluene
Concen: 1.205 ug/l
RT: 13.373 min Scan# 1895
Delta R.T. 0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:	119	Resp:	307
Ion	Ratio	Lower	Upper
119	100		
134	24.8	13.0	39.0
91	9.4	11.9	35.9#



#87
1,3-Dichlorobenzene
Concen: 2.562 ug/l
RT: 13.373 min Scan# 1895
Delta R.T. 0.006 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion:	146	Resp:	332
Ion	Ratio	Lower	Upper
146	100		
111	20.2	19.7	59.0
148	82.8	32.0	96.0









#88
1,4-Dichlorobenzene
Concen: 3.880 ug/l
RT: 13.446 min Scan# 1907
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50




Instrument :
MSVOA_Y
ClientSampleId :
SP-591


Tgt Ion:	146	Resp:	500
Ion	Ratio	Lower	Upper
146	100		
111	30.4	19.6	58.7
148	63.6	31.9	95.7



#89
n-Butylbenzene
Concen: 1.705 ug/l
RT: 13.696 min Scan# 1948
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion:	91	Resp:	393
Ion	Ratio	Lower	Upper
91	100		
92	54.2	26.8	80.4
134	5.3	13.3	39.8





#91

1,2-Dichlorobenzene

Concen: 3.053 ug/l

RT: 13.745 min Scan# 1955

Delta R.T. 0.006 min

Lab File: VY011943.D

Acq: 21 Dec 2022 13:50





Instrument :

MSVOA_Y

ClientSampleId :

SP-591

Tgt Ion:146	Resp:	345
Ion	Ratio	Lower Upper
146	100	
111	47.8	20.3 60.8
148	70.4	31.8 95.4



#93

1,2,4-Trichlorobenzene

Concen: 2.151 ug/l




RT: 15.007 min Scan# 2163


Delta R.T. -0.000 min

Lab File: VY011943.D

Acq: 21 Dec 2022 13:50

Tgt Ion:180	Resp:	143
Ion	Ratio	Lower Upper
180	100	
182	68.5	48.1 144.3
145	47.6	15.4 46.4









#95
Naphthalene
Concen: 5.108 ug/l
RT: 15.239 min Scan# 21
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Instrument :
MSVOA_Y
ClientSampleId :
SP-591

Tgt Ion:128 Resp: 341
Ion Ratio Lower Upper
128 100
127 0.0 10.2 15.2#
129 0.0 8.8 13.2#



#96
1,2,3-Trichlorobenzene
Concen: 1.975 ug/l
RT: 15.422 min Scan# 2231
Delta R.T. -0.000 min
Lab File: VY011943.D
Acq: 21 Dec 2022 13:50

Tgt Ion:180 Resp: 111
Ion Ratio Lower Upper
180 100
182 129.7 47.9 143.7
145 0.0 16.1 48.2#

