

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122122\
 Data File : VY011959.D
 Acq On : 21 Dec 2022 20:04
 Operator : KP/MD
 Sample : N6161-03
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 31878

Quant Time: Dec 22 00:15:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122022S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 20 12:37:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	128381	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	229600	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	219880	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	91355	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	84055	64.987	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	129.980%
35) Dibromofluoromethane	7.722	113	76082	55.042	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.080%
50) Toluene-d8	10.179	98	281379	50.173	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	100.340%
62) 4-Bromofluorobenzene	12.483	95	84901	45.013	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	90.020%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY122122\
Data File : VY011959.D
Acq On : 21 Dec 2022 20:04
Operator : KP/MD
Sample : N6161-03
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
31878

Quant Time: Dec 22 00:15:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y122022S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 20 12:37:37 2022
Response via : Initial Calibration

