

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012020\
 Data File : VD064879.D
 Acq On : 20 Jan 2020 09:13
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 21 04:19:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D122419S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 24 13:19:06 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.389	0.312	19.8	77	0.00
3 P	Chloromethane	0.543	0.459	15.5	82	0.00
4 C	Vinyl Chloride	0.663	0.535	19.3#	80	0.00
5 T	Bromomethane	0.482	0.360	25.3#	75	0.01
6 T	Chloroethane	0.444	0.365	17.8	78	0.00
7 T	Trichlorofluoromethane	1.116	0.904	19.0	78	0.00
8 T	Diethyl Ether	0.222	0.205	7.7	90	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.462	0.444	3.9	92	0.00
10 T	Methyl Iodide	0.496	0.456	8.1	80	0.00
11 T	Tert butyl alcohol	0.025	0.024	4.0	84	0.00
12 CM	1,1-Dichloroethene	0.440	0.406	7.7#	88	0.00
13 T	Acrolein	0.035	0.014	60.0#	36#	0.00
14 T	Allyl chloride	0.686	0.695	-1.3	97	0.00
15 T	Acrylonitrile	0.092	0.088	4.3	90	0.00
16 T	Acetone	0.091	0.115	-26.4#	121	0.00
17 T	Carbon Disulfide	1.422	1.167	17.9	80	0.00
18 T	Methyl Acetate	0.248	0.227	8.5	89	0.00
19 T	Methyl tert-butyl Ether	0.977	0.938	4.0	90	0.00
20 T	Methylene Chloride	0.524	0.487	7.1	98	0.00
21 T	trans-1,2-Dichloroethene	0.501	0.474	5.4	92	0.00
22 T	Diisopropyl ether	1.368	1.412	-3.2	98	0.00
23 T	Vinyl Acetate	0.776	0.777	-0.1	91	0.00
24 P	1,1-Dichloroethane	0.821	0.853	-3.9	99	0.00
25 T	2-Butanone	0.121	0.127	-5.0	97	0.00
26 T	2,2-Dichloropropane	0.764	0.790	-3.4	100	0.00
27 T	cis-1,2-Dichloroethene	0.541	0.532	1.7	94	0.00
28 T	Bromochloromethane	0.319	0.360	-12.9	100	0.00
29 T	Tetrahydrofuran	0.075	0.069	8.0	86	0.00
30 C	Chloroform	0.862	0.886	-2.8#	99	0.00
31 T	Cyclohexane	0.822	0.730	11.2	90	0.00
32 T	1,1,1-Trichloroethane	0.809	0.813	-0.5	97	0.00
33 S	1,2-Dichloroethane-d4	0.441	0.428	2.9	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.307	0.306	0.3	92	0.00
36 T	1,1-Dichloropropene	0.481	0.470	2.3	93	0.00
37 T	Ethyl Acetate	0.189	0.179	5.3	86	0.00
38 T	Carbon Tetrachloride	0.513	0.505	1.6	92	0.00
39 T	Methylcyclohexane	0.583	0.540	7.4	86	0.00
40 TM	Benzene	1.314	1.306	0.6	95	0.00
41 T	Methacrylonitrile	0.110	0.117	-6.4	92	-0.01
42 TM	1,2-Dichloroethane	0.380	0.380	0.0	95	0.00
43 T	Isopropyl Acetate	0.376	0.351	6.6	86	0.00
44 TM	Trichloroethene	0.386	0.374	3.1	92	0.00
45 C	1,2-Dichloropropane	0.314	0.326	-3.8#	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012020\
 Data File : VD064879.D
 Acq On : 20 Jan 2020 09:13
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 21 04:19:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D122419S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 24 13:19:06 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.175	0.168	4.0	89	0.00
47 T	Bromodichloromethane	0.465	0.470	-1.1	95	0.00
48 T	Methyl methacrylate	0.177	0.165	6.8	82	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	87	0.00
50 S	Toluene-d8	1.175	1.136	3.3	89	0.00
51 T	4-Methyl-2-Pentanone	0.186	0.175	5.9	87	0.00
52 CM	Toluene	0.862	0.850	1.4#	93	0.00
53 T	t-1,3-Dichloropropene	0.434	0.431	0.7	92	0.00
54 T	cis-1,3-Dichloropropene	0.512	0.528	-3.1	95	0.00
55 T	1,1,2-Trichloroethane	0.236	0.234	0.8	94	0.00
56 T	Ethyl methacrylate	0.294	0.280	4.8	87	0.00
57 T	1,3-Dichloropropane	0.406	0.397	2.2	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.112	0.101	9.8	90	0.00
59 T	2-Hexanone	0.126	0.131	-4.0	93	0.00
60 T	Dibromochloromethane	0.326	0.318	2.5	91	0.00
61 T	1,2-Dibromoethane	0.232	0.218	6.0	88	0.00
62 S	4-Bromofluorobenzene	0.372	0.360	3.2	89	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
64 T	Tetrachloroethene	0.384	0.363	5.5	90	0.00
65 PM	Chlorobenzene	1.038	1.036	0.2	92	0.00
66 T	1,1,1,2-Tetrachloroethane	0.391	0.395	-1.0	94	0.00
67 C	Ethyl Benzene	1.884	1.906	-1.2#	94	0.00
68 T	m/p-Xylenes	0.727	0.722	0.7	91	0.00
69 T	o-Xylene	0.657	0.664	-1.1	93	0.00
70 T	Styrene	1.153	1.167	-1.2	94	0.00
71 P	Bromoform	0.223	0.210	5.8	87	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	3.573	3.614	-1.1	92	0.00
74 T	N-amyl acetate	0.764	0.744	2.6	87	0.00
75 P	1,1,2,2-Tetrachloroethane	0.561	0.543	3.2	89	0.00
76 T	1,2,3-Trichloropropane	0.395	0.363	8.1	98	0.00
77 T	Bromobenzene	0.878	0.864	1.6	91	0.00
78 T	n-propylbenzene	4.168	4.256	-2.1	93	0.00
79 T	2-Chlorotoluene	2.290	2.388	-4.3	96	0.00
80 T	1,3,5-Trimethylbenzene	2.935	2.995	-2.0	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.178	5.8	87	0.00
82 T	4-Chlorotoluene	2.437	2.492	-2.3	95	0.00
83 T	tert-Butylbenzene	2.548	2.565	-0.7	91	0.00
84 T	1,2,4-Trimethylbenzene	2.923	3.011	-3.0	94	0.00
85 T	sec-Butylbenzene	3.494	3.599	-3.0	94	0.00
86 T	p-Isopropyltoluene	3.341	3.374	-1.0	91	0.00
87 T	1,3-Dichlorobenzene	1.674	1.684	-0.6	93	0.00
88 T	1,4-Dichlorobenzene	1.644	1.634	0.6	91	0.00
89 T	n-Butylbenzene	3.008	3.143	-4.5	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012020\
Data File : VD064879.D
Acq On : 20 Jan 2020 09:13
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jan 21 04:19:41 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D122419S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 24 13:19:06 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.638	0.645	-1.1	93	0.00
91 T	1,2-Dichlorobenzene	1.427	1.414	0.9	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.091	0.083	8.8	86	0.00
93 T	1,2,4-Trichlorobenzene	1.051	0.989	5.9	86	0.00
94 T	Hexachlorobutadiene	0.661	0.628	5.0	88	0.00
95 T	Naphthalene	1.662	1.489	10.4	79	0.00
96 T	1,2,3-Trichlorobenzene	0.897	0.837	6.7	85	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6