

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD012020\
 Data File : VD064891.D
 Acq On : 20 Jan 2020 15:35
 Operator : VA/SY
 Sample : L1189-03
 Misc : 7.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SB-3-13.5-14.0

Quant Time: Jan 21 05:37:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D122419S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 24 13:19:06 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	447634	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	754593	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	712233	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	337396	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	239838	60.76	ug/l	0.00
Spiked Amount	50.000		Recovery	=	121.52%	
35) Dibromofluoromethane	7.92	113	242175	52.31	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.62%	
50) Toluene-d8	10.34	98	932985	52.62	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.24%	
62) 4-Bromofluorobenzene	12.64	95	294153	52.47	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.94%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD012020\
Data File : VD064891.D
Acq On : 20 Jan 2020 15:35
Operator : VA/SY
Sample : L1189-03
Misc : 7.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
SB-3-13.5-14.0

Quant Time: Jan 21 05:37:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D122419S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 24 13:19:06 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. 0.00 min

Lab File: VD064891.D

Acq: 20 Jan 2020 15:35

Instrument :

MSVOA_D

ClientSampleId :


SB-3-13.5-14.0

Tot Ion:168 Resp: 447634

Ion Ratio Lower Upper

168 100

99 52.9 41.8 62.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC

7.98

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 60.762 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. 0.01 min

Lab File: VD064891.D


Acq: 20 Jan 2020 15:35

Tgt Ion: 65 Resp: 239838

Ion Ratio Lower Upper

65 100

67 50.7 0.0 106.2



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC

8.34

120000

100000

80000


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.87 min Scan# 1181

Delta R.T. 0.00 min

Lab File: VD064891.D

Acq: 20 Jan 2020 15:35

Instrument :

MSVOA_D

ClientSampleId :

SB-3-13.5-14.0


Tot Ion:114 Resp: 754593

Ion Ratio Lower Upper

114 100

63 20.3 0.0 38.0




88 15.2 0.0 29.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 52.311 ug/l

RT: 7.92 min Scan# 1020

Delta R.T. 0.00 min

Lab File: VD064891.D

Acq: 20 Jan 2020 15:35


Tgt Ion:113 Resp: 242175

Ion Ratio Lower Upper

113 100

111 102.8 80.6 121.0



192 21.8 17.9 26.9




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 52.620 ug/l
RT: 10.34 min Scan# 1432
Delta R.T. 0.01 min
Lab File: VD064891.D
Acq: 20 Jan 2020 15:35




Instrument :
MSVOA_D
ClientSampleId :
SB-3-13.5-14.0


Tot Ion: 98 Resp: 932985
Ion Ratio Lower Upper
98 100
100 64.5 51.7 77.5



#62
4-Bromofluorobenzene
Concen: 52.465 ug/l
RT: 12.64 min Scan# 1822
Delta R.T. 0.00 min
Lab File: VD064891.D
Acq: 20 Jan 2020 15:35

Tgt Ion: 95 Resp: 294153
Ion Ratio Lower Upper
95 100
174 92.2 0.0 193.2
176 91.8 0.0 184.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. 0.00 min
Lab File: VD064891.D
Acq: 20 Jan 2020 15:35

Instrument :
MSVOA_D
ClientSampleId :
SB-3-13.5-14.0

Tot Ion	Ratio	Lower	Upper
117	100		
82	53.9	42.2	63.4
119	32.2	26.0	39.0




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1983
Delta R.T. 0.00 min
Lab File: VD064891.D
Acq: 20 Jan 2020 15:35

Tgt Ion	Ratio	Lower	Upper
152	100		
115	54.8	27.8	83.4
150	154.8	0.0	351.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

