

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012220\
 Data File : VD064915.D
 Acq On : 22 Jan 2020 14:01
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 22 23:40:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D122419S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 24 13:19:06 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.389	0.337	13.4	81	0.00
3 P	Chloromethane	0.543	0.495	8.8	87	0.00
4 C	Vinyl Chloride	0.663	0.603	9.0#	88	0.00
5 T	Bromomethane	0.482	0.399	17.2	82	0.00
6 T	Chloroethane	0.444	0.406	8.6	85	0.00
7 T	Trichlorofluoromethane	1.116	1.029	7.8	87	0.00
8 T	Diethyl Ether	0.222	0.221	0.5	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.462	0.490	-6.1	99	0.00
10 T	Methyl Iodide	0.496	0.504	-1.6	87	0.00
11 T	Tert butyl alcohol	0.025	0.033	-32.0#	114	0.00
12 CM	1,1-Dichloroethene	0.440	0.440	0.0	94	0.00
13 T	Acrolein	0.035	0.032	8.6	82	0.00
14 T	Allyl chloride	0.686	0.739	-7.7	101	0.00
15 T	Acrylonitrile	0.092	0.104	-13.0	104	0.00
16 T	Acetone	0.091	0.123	-35.2#	127	0.00
17 T	Carbon Disulfide	1.422	1.213	14.7	81	0.00
18 T	Methyl Acetate	0.248	0.270	-8.9	104	0.00
19 T	Methyl tert-butyl Ether	0.977	1.064	-8.9	100	0.00
20 T	Methylene Chloride	0.524	0.518	1.1	103	0.00
21 T	trans-1,2-Dichloroethene	0.501	0.512	-2.2	97	0.00
22 T	Diisopropyl ether	1.368	1.521	-11.2	103	0.00
23 T	Vinyl Acetate	0.776	0.877	-13.0	101	0.00
24 P	1,1-Dichloroethane	0.821	0.909	-10.7	104	0.00
25 T	2-Butanone	0.121	0.143	-18.2	108	0.00
26 T	2,2-Dichloropropane	0.764	0.871	-14.0	108	0.00
27 T	cis-1,2-Dichloroethene	0.541	0.571	-5.5	99	0.00
28 T	Bromochloromethane	0.319	0.350	-9.7	96	0.00
29 T	Tetrahydrofuran	0.075	0.084	-12.0	102	0.00
30 C	Chloroform	0.862	0.942	-9.3#	104	0.00
31 T	Cyclohexane	0.822	0.787	4.3	95	0.00
32 T	1,1,1-Trichloroethane	0.809	0.891	-10.1	104	0.00
33 S	1,2-Dichloroethane-d4	0.441	0.495	-12.2	105	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.307	0.345	-12.4	100	0.00
36 T	1,1-Dichloropropene	0.481	0.520	-8.1	100	0.00
37 T	Ethyl Acetate	0.189	0.209	-10.6	98	0.00
38 T	Carbon Tetrachloride	0.513	0.581	-13.3	102	0.00
39 T	Methylcyclohexane	0.583	0.603	-3.4	93	0.00
40 TM	Benzene	1.314	1.427	-8.6	100	0.00
41 T	Methacrylonitrile	0.110	0.130	-18.2	99	0.00
42 TM	1,2-Dichloroethane	0.380	0.425	-11.8	103	0.00
43 T	Isopropyl Acetate	0.376	0.418	-11.2	100	0.00
44 TM	Trichloroethene	0.386	0.405	-4.9	97	0.00
45 C	1,2-Dichloropropane	0.314	0.355	-13.1#	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012220\
 Data File : VD064915.D
 Acq On : 22 Jan 2020 14:01
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 22 23:40:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D122419S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 24 13:19:06 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.175	0.190	-8.6	98	0.00
47 T	Bromodichloromethane	0.465	0.519	-11.6	102	0.00
48 T	Methyl methacrylate	0.177	0.191	-7.9	92	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	99	0.00
50 S	Toluene-d8	1.175	1.303	-10.9	99	0.00
51 T	4-Methyl-2-Pentanone	0.186	0.213	-14.5	103	0.00
52 CM	Toluene	0.862	0.940	-9.0#	100	0.00
53 T	t-1,3-Dichloropropene	0.434	0.490	-12.9	101	0.00
54 T	cis-1,3-Dichloropropene	0.512	0.575	-12.3	101	0.00
55 T	1,1,2-Trichloroethane	0.236	0.259	-9.7	101	0.00
56 T	Ethyl methacrylate	0.294	0.327	-11.2	99	0.00
57 T	1,3-Dichloropropane	0.406	0.438	-7.9	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.112	0.116	-3.6	99	0.00
59 T	2-Hexanone	0.126	0.155	-23.0#	107	0.00
60 T	Dibromochloromethane	0.326	0.355	-8.9	99	0.00
61 T	1,2-Dibromoethane	0.232	0.250	-7.8	97	0.00
62 S	4-Bromofluorobenzene	0.372	0.413	-11.0	99	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
64 T	Tetrachloroethene	0.384	0.387	-0.8	95	0.00
65 PM	Chlorobenzene	1.038	1.094	-5.4	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.391	0.428	-9.5	102	0.00
67 C	Ethyl Benzene	1.884	2.035	-8.0#	100	0.00
68 T	m/p-Xylenes	0.727	0.794	-9.2	99	0.00
69 T	o-Xylene	0.657	0.702	-6.8	98	0.00
70 T	Styrene	1.153	1.261	-9.4	100	0.00
71 P	Bromoform	0.223	0.235	-5.4	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.573	3.886	-8.8	100	0.00
74 T	N-amyl acetate	0.764	0.828	-8.4	98	0.00
75 P	1,1,2,2-Tetrachloroethane	0.561	0.607	-8.2	100	0.00
76 T	1,2,3-Trichloropropane	0.395	0.404	-2.3	110	0.00
77 T	Bromobenzene	0.878	0.908	-3.4	96	0.00
78 T	n-propylbenzene	4.168	4.624	-10.9	102	0.00
79 T	2-Chlorotoluene	2.290	2.474	-8.0	101	0.00
80 T	1,3,5-Trimethylbenzene	2.935	3.142	-7.1	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.206	-9.0	102	0.00
82 T	4-Chlorotoluene	2.437	2.550	-4.6	98	0.00
83 T	tert-Butylbenzene	2.548	2.741	-7.6	98	0.00
84 T	1,2,4-Trimethylbenzene	2.923	3.174	-8.6	100	0.00
85 T	sec-Butylbenzene	3.494	3.820	-9.3	100	0.00
86 T	p-Isopropyltoluene	3.341	3.632	-8.7	99	0.00
87 T	1,3-Dichlorobenzene	1.674	1.759	-5.1	98	0.00
88 T	1,4-Dichlorobenzene	1.644	1.721	-4.7	97	0.00
89 T	n-Butylbenzene	3.008	3.285	-9.2	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012220\
Data File : VD064915.D
Acq On : 22 Jan 2020 14:01
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jan 22 23:40:09 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D122419S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 24 13:19:06 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.638	0.690	-8.2	100	0.00
91 T	1,2-Dichlorobenzene	1.427	1.478	-3.6	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.091	0.096	-5.5	100	0.00
93 T	1,2,4-Trichlorobenzene	1.051	1.054	-0.3	92	0.00
94 T	Hexachlorobutadiene	0.661	0.674	-2.0	95	0.00
95 T	Naphthalene	1.662	1.738	-4.6	93	0.00
96 T	1,2,3-Trichlorobenzene	0.897	0.898	-0.1	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5