

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012420\
 Data File : VD064936.D
 Acq On : 24 Jan 2020 10:10
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 25 02:47:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D012320S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 23 13:45:59 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	104	0.00
2 T	Dichlorodifluoromethane	0.377	0.390	-3.4	106	0.00
3 P	Chloromethane	0.552	0.544	1.4	105	0.00
4 C	Vinyl Chloride	0.634	0.626	1.3#	104	0.00
5 T	Bromomethane	0.427	0.406	4.9	104	0.00
6 T	Chloroethane	0.418	0.398	4.8	100	0.00
7 T	Trichlorofluoromethane	0.979	0.952	2.8	102	0.00
8 T	Diethyl Ether	0.221	0.204	7.7	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.456	0.459	-0.7	106	0.00
10 T	Methyl Iodide	0.484	0.474	2.1	95	0.00
11 T	Tert butyl alcohol	0.027	0.024	11.1	87	0.00
12 CM	1,1-Dichloroethene	0.435	0.433	0.5#	106	0.00
13 T	Acrolein	0.033	0.032	3.0	104	0.00
14 T	Allyl chloride	0.694	0.701	-1.0	105	0.00
15 T	Acrylonitrile	0.096	0.091	5.2	100	0.00
16 T	Acetone	0.101	0.103	-2.0	105	0.00
17 T	Carbon Disulfide	1.432	1.444	-0.8	107	0.00
18 T	Methyl Acetate	0.225	0.207	8.0	98	0.00
19 T	Methyl tert-butyl Ether	0.972	0.927	4.6	98	0.00
20 T	Methylene Chloride	0.556	0.464	16.5	101	0.00
21 T	trans-1,2-Dichloroethene	0.501	0.496	1.0	105	0.00
22 T	Diisopropyl ether	1.383	1.368	1.1	102	0.00
23 T	Vinyl Acetate	0.810	0.795	1.9	99	0.00
24 P	1,1-Dichloroethane	0.849	0.832	2.0	104	0.00
25 T	2-Butanone	0.130	0.124	4.6	96	0.00
26 T	2,2-Dichloropropane	0.770	0.776	-0.8	107	0.00
27 T	cis-1,2-Dichloroethene	0.535	0.527	1.5	105	0.00
28 T	Bromochloromethane	0.340	0.336	1.2	92	-0.01
29 T	Tetrahydrofuran	0.080	0.073	8.8	94	0.00
30 C	Chloroform	0.878	0.860	2.1#	104	0.00
31 T	Cyclohexane	0.836	0.777	7.1	102	0.00
32 T	1,1,1-Trichloroethane	0.817	0.795	2.7	103	0.00
33 S	1,2-Dichloroethane-d4	0.480	0.486	-1.3	101	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	103	0.00
35 S	Dibromofluoromethane	0.314	0.325	-3.5	101	0.00
36 T	1,1-Dichloropropene	0.482	0.480	0.4	102	0.00
37 T	Ethyl Acetate	0.199	0.183	8.0	99	0.00
38 T	Carbon Tetrachloride	0.510	0.516	-1.2	103	0.00
39 T	Methylcyclohexane	0.564	0.553	2.0	98	0.00
40 TM	Benzene	1.328	1.336	-0.6	104	0.00
41 T	Methacrylonitrile	0.107	0.111	-3.7	92	-0.01
42 TM	1,2-Dichloroethane	0.396	0.386	2.5	101	0.00
43 T	Isopropyl Acetate	0.378	0.352	6.9	96	0.00
44 TM	Trichloroethene	0.372	0.375	-0.8	105	0.00
45 C	1,2-Dichloropropane	0.322	0.319	0.9#	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012420\
 Data File : VD064936.D
 Acq On : 24 Jan 2020 10:10
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 25 02:47:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D012320S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 23 13:45:59 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.176	0.168	4.5	101	0.00
47 T	Bromodichloromethane	0.457	0.459	-0.4	104	0.00
48 T	Methyl methacrylate	0.174	0.171	1.7	98	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	94	0.00
50 S	Toluene-d8	1.213	1.293	-6.6	102	0.00
51 T	4-Methyl-2-Pentanone	0.189	0.177	6.3	95	0.00
52 CM	Toluene	0.856	0.851	0.6#	102	0.00
53 T	t-1,3-Dichloropropene	0.436	0.432	0.9	100	0.00
54 T	cis-1,3-Dichloropropene	0.510	0.508	0.4	101	0.00
55 T	1,1,2-Trichloroethane	0.237	0.230	3.0	101	0.00
56 T	Ethyl methacrylate	0.283	0.286	-1.1	99	0.00
57 T	1,3-Dichloropropane	0.406	0.393	3.2	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.094	0.086	8.5	103	0.00
59 T	2-Hexanone	0.131	0.132	-0.8	99	0.00
60 T	Dibromochloromethane	0.316	0.305	3.5	100	0.00
61 T	1,2-Dibromoethane	0.228	0.219	3.9	100	0.00
62 S	4-Bromofluorobenzene	0.371	0.393	-5.9	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	100	0.00
64 T	Tetrachloroethene	0.361	0.360	0.3	100	0.00
65 PM	Chlorobenzene	1.015	1.017	-0.2	104	0.00
66 T	1,1,1,2-Tetrachloroethane	0.382	0.381	0.3	101	0.00
67 C	Ethyl Benzene	1.802	1.844	-2.3#	101	0.00
68 T	m/p-Xylenes	0.694	0.720	-3.7	102	0.00
69 T	o-Xylene	0.616	0.632	-2.6	101	0.00
70 T	Styrene	1.097	1.152	-5.0	102	0.00
71 P	Bromoform	0.212	0.207	2.4	99	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
73 T	Isopropylbenzene	3.417	3.512	-2.8	101	0.00
74 T	N-amyl acetate	0.765	0.727	5.0	95	0.00
75 P	1,1,2,2-Tetrachloroethane	0.574	0.551	4.0	98	0.00
76 T	1,2,3-Trichloropropane	0.415	0.420	-1.2	94	0.00
77 T	Bromobenzene	0.836	0.838	-0.2	101	0.00
78 T	n-propylbenzene	4.064	4.143	-1.9	101	0.00
79 T	2-Chlorotoluene	2.230	2.244	-0.6	101	0.00
80 T	1,3,5-Trimethylbenzene	2.801	2.862	-2.2	102	0.00
81 T	trans-1,4-Dichloro-2-butene	0.194	0.191	1.5	99	0.00
82 T	4-Chlorotoluene	2.364	2.386	-0.9	102	0.00
83 T	tert-Butylbenzene	2.377	2.397	-0.8	99	0.00
84 T	1,2,4-Trimethylbenzene	2.837	2.868	-1.1	101	0.00
85 T	sec-Butylbenzene	3.365	3.380	-0.4	101	0.00
86 T	p-Isopropyltoluene	3.149	3.187	-1.2	99	0.00
87 T	1,3-Dichlorobenzene	1.604	1.610	-0.4	103	0.00
88 T	1,4-Dichlorobenzene	1.592	1.553	2.4	101	0.00
89 T	n-Butylbenzene	2.874	2.914	-1.4	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD012420\
Data File : VD064936.D
Acq On : 24 Jan 2020 10:10
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jan 25 02:47:56 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D012320S.M
Quant Title : SW846 8260
QLast Update : Thu Jan 23 13:45:59 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.607	0.598	1.5	99	0.00
91 T	1,2-Dichlorobenzene	1.362	1.351	0.8	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.092	0.086	6.5	99	0.00
93 T	1,2,4-Trichlorobenzene	0.942	0.919	2.4	98	0.00
94 T	Hexachlorobutadiene	0.596	0.583	2.2	102	0.00
95 T	Naphthalene	1.521	1.498	1.5	96	0.00
96 T	1,2,3-Trichlorobenzene	0.817	0.777	4.9	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6