

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD013120\
 Data File : VD065042.D
 Acq On : 31 Jan 2020 19:10
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 03 00:56:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D012320S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 23 13:45:59 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.377	0.374	0.8	90	0.00
3 P	Chloromethane	0.552	0.550	0.4	94	0.00
4 C	Vinyl Chloride	0.634	0.622	1.9#	92	0.00
5 T	Bromomethane	0.427	0.413	3.3	94	0.00
6 T	Chloroethane	0.418	0.411	1.7	92	0.00
7 T	Trichlorofluoromethane	0.979	0.949	3.1	90	0.00
8 T	Diethyl Ether	0.221	0.237	-7.2	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.456	0.465	-2.0	96	0.00
10 T	Methyl Iodide	0.484	0.504	-4.1	89	0.00
11 T	Tert butyl alcohol	0.027	0.027	0.0	88	0.00
12 CM	1,1-Dichloroethene	0.435	0.449	-3.2#	98	0.00
13 T	Acrolein	0.033	0.040	-21.2#	115	0.00
14 T	Allyl chloride	0.694	0.747	-7.6	100	0.00
15 T	Acrylonitrile	0.096	0.107	-11.5	105	0.00
16 T	Acetone	0.101	0.120	-18.8	109	0.00
17 T	Carbon Disulfide	1.432	1.408	1.7	92	0.00
18 T	Methyl Acetate	0.225	0.248	-10.2	105	0.00
19 T	Methyl tert-butyl Ether	0.972	1.099	-13.1	103	0.00
20 T	Methylene Chloride	0.556	0.538	3.2	104	0.00
21 T	trans-1,2-Dichloroethene	0.501	0.529	-5.6	99	0.00
22 T	Diisopropyl ether	1.383	1.594	-15.3	106	0.00
23 T	Vinyl Acetate	0.810	0.896	-10.6	99	0.00
24 P	1,1-Dichloroethane	0.849	0.928	-9.3	103	0.00
25 T	2-Butanone	0.130	0.146	-12.3	101	0.00
26 T	2,2-Dichloropropane	0.770	0.797	-3.5	98	0.00
27 T	cis-1,2-Dichloroethene	0.535	0.584	-9.2	103	0.00
28 T	Bromochloromethane	0.340	0.391	-15.0	95	0.00
29 T	Tetrahydrofuran	0.080	0.088	-10.0	102	0.00
30 C	Chloroform	0.878	0.959	-9.2#	104	0.00
31 T	Cyclohexane	0.836	0.813	2.8	95	0.00
32 T	1,1,1-Trichloroethane	0.817	0.860	-5.3	99	0.00
33 S	1,2-Dichloroethane-d4	0.480	0.517	-7.7	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.314	0.331	-5.4	95	0.00
36 T	1,1-Dichloropropene	0.482	0.492	-2.1	97	0.00
37 T	Ethyl Acetate	0.199	0.215	-8.0	108	0.00
38 T	Carbon Tetrachloride	0.510	0.518	-1.6	96	0.00
39 T	Methylcyclohexane	0.564	0.577	-2.3	95	0.00
40 TM	Benzene	1.328	1.402	-5.6	101	0.00
41 T	Methacrylonitrile	0.107	0.118	-10.3	92	0.00
42 TM	1,2-Dichloroethane	0.396	0.418	-5.6	101	0.00
43 T	Isopropyl Acetate	0.378	0.411	-8.7	104	0.00
44 TM	Trichloroethene	0.372	0.386	-3.8	101	0.00
45 C	1,2-Dichloropropane	0.322	0.348	-8.1#	105	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD013120\
 Data File : VD065042.D
 Acq On : 31 Jan 2020 19:10
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 03 00:56:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D012320S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 23 13:45:59 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.176	0.190	-8.0	106	0.00
47 T	Bromodichloromethane	0.457	0.502	-9.8	106	0.00
48 T	Methyl methacrylate	0.174	0.195	-12.1	104	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	97	0.00
50 S	Toluene-d8	1.213	1.257	-3.6	92	0.00
51 T	4-Methyl-2-Pentanone	0.189	0.211	-11.6	105	0.00
52 CM	Toluene	0.856	0.902	-5.4#	101	0.00
53 T	t-1,3-Dichloropropene	0.436	0.469	-7.6	101	0.00
54 T	cis-1,3-Dichloropropene	0.510	0.564	-10.6	105	0.00
55 T	1,1,2-Trichloroethane	0.237	0.255	-7.6	104	0.00
56 T	Ethyl methacrylate	0.283	0.327	-15.5	105	0.00
57 T	1,3-Dichloropropane	0.406	0.438	-7.9	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.094	0.097	-3.2	108	0.00
59 T	2-Hexanone	0.131	0.152	-16.0	106	0.00
60 T	Dibromochloromethane	0.316	0.347	-9.8	105	0.00
61 T	1,2-Dibromoethane	0.228	0.247	-8.3	104	0.00
62 S	4-Bromofluorobenzene	0.371	0.398	-7.3	97	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.361	0.412	-14.1	112	0.00
65 PM	Chlorobenzene	1.015	1.032	-1.7	104	0.00
66 T	1,1,1,2-Tetrachloroethane	0.382	0.401	-5.0	105	0.00
67 C	Ethyl Benzene	1.802	1.884	-4.6#	101	0.00
68 T	m/p-Xylenes	0.694	0.734	-5.8	102	0.00
69 T	o-Xylene	0.616	0.657	-6.7	103	0.00
70 T	Styrene	1.097	1.199	-9.3	104	0.00
71 P	Bromoform	0.212	0.218	-2.8	102	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.417	3.588	-5.0	101	0.00
74 T	N-amyl acetate	0.765	0.822	-7.5	105	0.00
75 P	1,1,2,2-Tetrachloroethane	0.574	0.587	-2.3	103	0.00
76 T	1,2,3-Trichloropropane	0.415	0.418	-0.7	92	0.00
77 T	Bromobenzene	0.836	0.874	-4.5	104	0.00
78 T	n-propylbenzene	4.064	4.227	-4.0	101	0.00
79 T	2-Chlorotoluene	2.230	2.329	-4.4	103	0.00
80 T	1,3,5-Trimethylbenzene	2.801	2.991	-6.8	104	0.00
81 T	trans-1,4-Dichloro-2-butene	0.194	0.193	0.5	98	0.00
82 T	4-Chlorotoluene	2.364	2.454	-3.8	103	0.00
83 T	tert-Butylbenzene	2.377	2.465	-3.7	100	0.00
84 T	1,2,4-Trimethylbenzene	2.837	3.015	-6.3	104	0.00
85 T	sec-Butylbenzene	3.365	3.509	-4.3	102	0.00
86 T	p-Isopropyltoluene	3.149	3.316	-5.3	101	0.00
87 T	1,3-Dichlorobenzene	1.604	1.663	-3.7	104	0.00
88 T	1,4-Dichlorobenzene	1.592	1.621	-1.8	103	0.00
89 T	n-Butylbenzene	2.874	3.023	-5.2	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD013120\
Data File : VD065042.D
Acq On : 31 Jan 2020 19:10
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Feb 03 00:56:20 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D012320S.M
Quant Title : SW846 8260
QLast Update : Thu Jan 23 13:45:59 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.607	0.623	-2.6	101	0.00
91 T	1,2-Dichlorobenzene	1.362	1.409	-3.5	103	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.092	0.099	-7.6	111	0.00
93 T	1,2,4-Trichlorobenzene	0.942	0.986	-4.7	104	0.00
94 T	Hexachlorobutadiene	0.596	0.601	-0.8	103	0.00
95 T	Naphthalene	1.521	1.670	-9.8	105	0.00
96 T	1,2,3-Trichlorobenzene	0.817	0.858	-5.0	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6