

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD021320\
 Data File : VD065182.D
 Acq On : 13 Feb 2020 17:42
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 14 07:45:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D020520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 05 15:53:00 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	75	0.00
2 T	Dichlorodifluoromethane	0.416	0.408	1.9	71	0.00
3 P	Chloromethane	0.490	0.525	-7.1	83	0.00
4 C	Vinyl Chloride	0.518	0.530	-2.3#	76	0.00
5 T	Bromomethane	0.336	0.316	6.0	73	0.00
6 T	Chloroethane	0.321	0.338	-5.3	78	0.00
7 T	Trichlorofluoromethane	0.754	0.773	-2.5	75	0.00
8 T	Diethyl Ether	0.216	0.232	-7.4	82	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.461	0.481	-4.3	77	0.00
10 T	Methyl Iodide	0.526	0.526	0.0	71	0.00
11 T	Tert butyl alcohol	0.026	0.025	3.8	80	0.00
12 CM	1,1-Dichloroethene	0.441	0.446	-1.1#	76	0.00
13 T	Acrolein	0.032	0.035	-9.4	88	0.00
14 T	Allyl chloride	0.734	0.781	-6.4	80	0.00
15 T	Acrylonitrile	0.095	0.105	-10.5	86	0.00
16 T	Acetone	0.106	0.105	0.9	77	0.00
17 T	Carbon Disulfide	1.417	1.449	-2.3	76	0.00
18 T	Methyl Acetate	0.222	0.249	-12.2	90	0.00
19 T	Methyl tert-butyl Ether	0.976	1.028	-5.3	80	0.00
20 T	Methylene Chloride	0.537	0.521	3.0	81	0.00
21 T	trans-1,2-Dichloroethene	0.499	0.527	-5.6	80	0.00
22 T	Diisopropyl ether	1.384	1.563	-12.9	84	0.00
23 T	Vinyl Acetate	0.771	0.870	-12.8	83	0.00
24 P	1,1-Dichloroethane	0.837	0.905	-8.1	82	0.00
25 T	2-Butanone	0.127	0.142	-11.8	88	0.00
26 T	2,2-Dichloropropane	0.751	0.777	-3.5	75	0.00
27 T	cis-1,2-Dichloroethene	0.530	0.574	-8.3	81	0.00
28 T	Bromochloromethane	0.317	0.364	-14.8	89	0.00
29 T	Tetrahydrofuran	0.077	0.087	-13.0	89	0.00
30 C	Chloroform	0.834	0.912	-9.4#	83	0.00
31 T	Cyclohexane	0.845	0.835	1.2	76	0.00
32 T	1,1,1-Trichloroethane	0.777	0.820	-5.5	79	0.00
33 S	1,2-Dichloroethane-d4	0.425	0.464	-9.2	80	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	76	0.00
35 S	Dibromofluoromethane	0.279	0.321	-15.1	82	0.00
36 T	1,1-Dichloropropene	0.465	0.495	-6.5	79	0.00
37 T	Ethyl Acetate	0.190	0.210	-10.5	87	0.00
38 T	Carbon Tetrachloride	0.475	0.494	-4.0	77	0.00
39 T	Methylcyclohexane	0.574	0.591	-3.0	75	0.00
40 TM	Benzene	1.284	1.403	-9.3	82	0.00
41 T	Methacrylonitrile	0.105	0.117	-11.4	85	0.00
42 TM	1,2-Dichloroethane	0.366	0.391	-6.8	81	0.00
43 T	Isopropyl Acetate	0.363	0.391	-7.7	82	0.00
44 TM	Trichloroethene	0.369	0.385	-4.3	78	0.00
45 C	1,2-Dichloropropane	0.308	0.351	-14.0#	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD021320\
 Data File : VD065182.D
 Acq On : 13 Feb 2020 17:42
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 14 07:45:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D020520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 05 15:53:00 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.162	0.182	-12.3	86	0.00
47 T	Bromodichloromethane	0.426	0.477	-12.0	84	0.00
48 T	Methyl methacrylate	0.175	0.185	-5.7	82	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	91	0.00
50 S	Toluene-d8	1.110	1.238	-11.5	79	0.00
51 T	4-Methyl-2-Pentanone	0.179	0.204	-14.0	87	0.00
52 CM	Toluene	0.819	0.899	-9.8#	81	0.00
53 T	t-1,3-Dichloropropene	0.415	0.455	-9.6	82	0.00
54 T	cis-1,3-Dichloropropene	0.496	0.544	-9.7	82	0.00
55 T	1,1,2-Trichloroethane	0.222	0.247	-11.3	85	0.00
56 T	Ethyl methacrylate	0.281	0.313	-11.4	83	0.00
57 T	1,3-Dichloropropane	0.390	0.433	-11.0	84	0.00
58 T	2-Chloroethyl Vinyl ether	0.096	0.091	5.2	63	0.00
59 T	2-Hexanone	0.127	0.145	-14.2	85	0.00
60 T	Dibromochloromethane	0.287	0.320	-11.5	84	0.00
61 T	1,2-Dibromoethane	0.217	0.241	-11.1	85	0.00
62 S	4-Bromofluorobenzene	0.352	0.392	-11.4	79	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	79	0.00
64 T	Tetrachloroethene	0.359	0.359	0.0	77	0.00
65 PM	Chlorobenzene	0.967	1.033	-6.8	82	0.00
66 T	1,1,1,2-Tetrachloroethane	0.357	0.387	-8.4	82	0.00
67 C	Ethyl Benzene	1.757	1.868	-6.3#	81	0.00
68 T	m/p-Xylenes	0.671	0.716	-6.7	80	0.00
69 T	o-Xylene	0.604	0.641	-6.1	80	0.00
70 T	Styrene	1.050	1.147	-9.2	82	0.00
71 P	Bromoform	0.192	0.213	-10.9	87	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	82	0.00
73 T	Isopropylbenzene	3.432	3.513	-2.4	80	0.00
74 T	N-amyl acetate	0.746	0.787	-5.5	84	0.00
75 P	1,1,2,2-Tetrachloroethane	0.540	0.581	-7.6	87	0.00
76 T	1,2,3-Trichloropropane	0.379	0.415	-9.5	86	0.00
77 T	Bromobenzene	0.827	0.837	-1.2	81	0.00
78 T	n-propylbenzene	4.019	4.176	-3.9	81	0.00
79 T	2-Chlorotoluene	2.240	2.312	-3.2	82	0.00
80 T	1,3,5-Trimethylbenzene	2.808	2.881	-2.6	81	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.199	-5.3	84	0.00
82 T	4-Chlorotoluene	2.353	2.419	-2.8	82	0.00
83 T	tert-Butylbenzene	2.422	2.385	1.5	78	0.00
84 T	1,2,4-Trimethylbenzene	2.787	2.885	-3.5	82	0.00
85 T	sec-Butylbenzene	3.308	3.420	-3.4	80	0.00
86 T	p-Isopropyltoluene	3.074	3.208	-4.4	80	0.00
87 T	1,3-Dichlorobenzene	1.548	1.608	-3.9	84	0.00
88 T	1,4-Dichlorobenzene	1.541	1.571	-1.9	83	0.00
89 T	n-Butylbenzene	2.837	2.959	-4.3	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD021320\
 Data File : VD065182.D
 Acq On : 13 Feb 2020 17:42
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 14 07:45:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D020520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 05 15:53:00 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.582	0.619	-6.4	83	0.00
91 T	1,2-Dichlorobenzene	1.326	1.378	-3.9	84	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.091	-3.4	84	0.00
93 T	1,2,4-Trichlorobenzene	0.948	0.938	1.1	79	0.00
94 T	Hexachlorobutadiene	0.583	0.564	3.3	77	0.00
95 T	Naphthalene	1.575	1.571	0.3	81	0.00
96 T	1,2,3-Trichlorobenzene	0.811	0.804	0.9	81	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6