

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD022020\
 Data File : VD065247.D
 Acq On : 20 Feb 2020 10:27
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 21 04:16:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 19 03:26:54 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.419	0.463	-10.5	112	0.00
3 P	Chloromethane	0.534	0.538	-0.7	109	0.00
4 C	Vinyl Chloride	0.543	0.549	-1.1#	106	0.00
5 T	Bromomethane	0.328	0.311	5.2	107	0.00
6 T	Chloroethane	0.331	0.328	0.9	104	0.00
7 T	Trichlorofluoromethane	0.777	0.782	-0.6	107	0.00
8 T	Diethyl Ether	0.235	0.221	6.0	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.491	0.502	-2.2	110	0.00
10 T	Methyl Iodide	0.510	0.578	-13.3	106	0.00
11 T	Tert butyl alcohol	0.027	0.021	22.2#	86	-0.01
12 CM	1,1-Dichloroethene	0.464	0.470	-1.3#	106	0.00
13 T	Acrolein	0.040	0.036	10.0	122	0.00
14 T	Allyl chloride	0.753	0.768	-2.0	106	0.00
15 T	Acrylonitrile	0.104	0.095	8.7	94	0.00
16 T	Acetone	0.110	0.115	-4.5	100	0.00
17 T	Carbon Disulfide	1.554	1.596	-2.7	109	0.00
18 T	Methyl Acetate	0.247	0.217	12.1	94	0.00
19 T	Methyl tert-butyl Ether	0.967	0.931	3.7	96	0.00
20 T	Methylene Chloride	0.558	0.516	7.5	107	0.00
21 T	trans-1,2-Dichloroethene	0.527	0.542	-2.8	108	0.00
22 T	Diisopropyl ether	1.451	1.469	-1.2	101	0.00
23 T	Vinyl Acetate	0.800	0.794	0.8	95	0.00
24 P	1,1-Dichloroethane	0.900	0.887	1.4	105	0.00
25 T	2-Butanone	0.139	0.129	7.2	90	0.00
26 T	2,2-Dichloropropane	0.781	0.786	-0.6	109	0.00
27 T	cis-1,2-Dichloroethene	0.558	0.558	0.0	104	0.00
28 T	Bromochloromethane	0.334	0.346	-3.6	114	0.00
29 T	Tetrahydrofuran	0.082	0.074	9.8	89	0.00
30 C	Chloroform	0.907	0.898	1.0#	105	0.00
31 T	Cyclohexane	0.884	0.886	-0.2	108	0.00
32 T	1,1,1-Trichloroethane	0.811	0.819	-1.0	109	0.00
33 S	1,2-Dichloroethane-d4	0.450	0.413	8.2	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.305	0.305	0.0	97	0.00
36 T	1,1-Dichloropropene	0.487	0.525	-7.8	109	0.00
37 T	Ethyl Acetate	0.203	0.187	7.9	93	0.00
38 T	Carbon Tetrachloride	0.495	0.525	-6.1	108	0.00
39 T	Methylcyclohexane	0.572	0.645	-12.8	109	0.00
40 TM	Benzene	1.373	1.464	-6.6	107	0.00
41 T	Methacrylonitrile	0.117	0.126	-7.7	111	0.00
42 TM	1,2-Dichloroethane	0.378	0.374	1.1	100	0.00
43 T	Isopropyl Acetate	0.370	0.346	6.5	90	0.00
44 TM	Trichloroethene	0.381	0.406	-6.6	108	0.00
45 C	1,2-Dichloropropane	0.341	0.354	-3.8#	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD022020\
 Data File : VD065247.D
 Acq On : 20 Feb 2020 10:27
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 21 04:16:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 19 03:26:54 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.176	0.179	-1.7	100	0.00
47 T	Bromodichloromethane	0.463	0.472	-1.9	103	0.00
48 T	Methyl methacrylate	0.171	0.186	-8.8	100	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	91	0.00
50 S	Toluene-d8	1.165	1.218	-4.5	99	0.00
51 T	4-Methyl-2-Pentanone	0.188	0.179	4.8	90	0.00
52 CM	Toluene	0.850	0.936	-10.1#	106	0.00
53 T	t-1,3-Dichloropropene	0.429	0.441	-2.8	100	0.00
54 T	cis-1,3-Dichloropropene	0.518	0.544	-5.0	102	0.00
55 T	1,1,2-Trichloroethane	0.247	0.243	1.6	98	0.00
56 T	Ethyl methacrylate	0.285	0.289	-1.4	93	0.00
57 T	1,3-Dichloropropane	0.421	0.422	-0.2	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.090	0.078	13.3	93	0.00
59 T	2-Hexanone	0.134	0.140	-4.5	92	0.00
60 T	Dibromochloromethane	0.316	0.314	0.6	99	0.00
61 T	1,2-Dibromoethane	0.234	0.236	-0.9	99	0.00
62 S	4-Bromofluorobenzene	0.369	0.374	-1.4	96	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.355	0.380	-7.0	109	0.00
65 PM	Chlorobenzene	1.003	1.045	-4.2	105	0.00
66 T	1,1,1,2-Tetrachloroethane	0.374	0.379	-1.3	103	0.00
67 C	Ethyl Benzene	1.757	1.891	-7.6#	106	0.00
68 T	m/p-Xylenes	0.672	0.735	-9.4	106	0.00
69 T	o-Xylene	0.596	0.660	-10.7	106	0.00
70 T	Styrene	1.058	1.155	-9.2	104	0.00
71 P	Bromoform	0.208	0.200	3.8	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.310	3.719	-12.4	107	0.00
74 T	N-amyl acetate	0.736	0.704	4.3	88	0.00
75 P	1,1,2,2-Tetrachloroethane	0.597	0.569	4.7	95	0.00
76 T	1,2,3-Trichloropropane	0.425	0.403	5.2	100	0.00
77 T	Bromobenzene	0.822	0.860	-4.6	102	0.00
78 T	n-propylbenzene	3.978	4.419	-11.1	106	0.00
79 T	2-Chlorotoluene	2.228	2.413	-8.3	106	0.00
80 T	1,3,5-Trimethylbenzene	2.726	3.037	-11.4	107	0.00
81 T	trans-1,4-Dichloro-2-butene	0.197	0.187	5.1	92	0.00
82 T	4-Chlorotoluene	2.366	2.507	-6.0	104	0.00
83 T	tert-Butylbenzene	2.285	2.633	-15.2	110	0.00
84 T	1,2,4-Trimethylbenzene	2.729	3.011	-10.3	106	0.00
85 T	sec-Butylbenzene	3.293	3.653	-10.9	108	0.00
86 T	p-Isopropyltoluene	3.011	3.392	-12.7	107	0.00
87 T	1,3-Dichlorobenzene	1.589	1.651	-3.9	104	0.00
88 T	1,4-Dichlorobenzene	1.568	1.620	-3.3	104	0.00
89 T	n-Butylbenzene	2.775	3.128	-12.7	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD022020\
Data File : VD065247.D
Acq On : 20 Feb 2020 10:27
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Feb 21 04:16:50 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 19 03:26:54 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.611	0.641	-4.9	106	0.00
91 T	1,2-Dichlorobenzene	1.364	1.393	-2.1	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.092	0.084	8.7	90	0.00
93 T	1,2,4-Trichlorobenzene	0.893	0.953	-6.7	102	0.00
94 T	Hexachlorobutadiene	0.573	0.622	-8.6	112	0.00
95 T	Naphthalene	1.451	1.496	-3.1	94	0.00
96 T	1,2,3-Trichlorobenzene	0.779	0.801	-2.8	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6