

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD022620\
 Data File : VD065330.D
 Acq On : 26 Feb 2020 16:15
 Operator : VA/SY
 Sample : L1676-05
 Misc : 5.09G/5.00ml/MSVOA D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 RO-1-2

Quant Time: Feb 27 08:31:26 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 19 03:26:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	400939	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	679188	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	651127	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	295045	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	243803	67.59	ug/l	0.00
Spiked Amount	50.000		Recovery	=	135.18%	
35) Dibromofluoromethane	7.92	113	239039	57.72	ug/l	0.00
Spiked Amount	50.000		Recovery	=	115.44%	
50) Toluene-d8	10.34	98	835338	52.76	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.52%	
62) 4-Bromofluorobenzene	12.64	95	260373	51.92	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.84%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD022620\
Data File : VD065330.D
Acq On : 26 Feb 2020 16:15
Operator : VA/SY
Sample : L1676-05
Misc : 5.09G/5.00ml/MSVOA D/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
RO-1-2

Quant Time: Feb 27 08:31:26 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 19 03:26:54 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. 0.00 min

Lab File: VD065330.D

Acq: 26 Feb 2020 16:15


Instrument :
MSVOA_D
ClientSampleId :
RO-1-2

Tot Ion:168 Resp: 400939

Ion Ratio Lower Upper

168 100

99 52.1 41.4 62.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC

7.98

200000

150000



100000

50000

0

7.90 8.00 8.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 67.594 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. 0.00 min

Lab File: VD065330.D


Acq: 26 Feb 2020 16:15

Tgt Ion: 65 Resp: 243803

Ion Ratio Lower Upper

65 100

67 54.0 0.0 106.8



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC

8.34

120000

100000

80000

60000


40000


20000

0

8.20 8.30 8.40 8.50

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.87 min Scan# 1181

Delta R.T. 0.00 min

Lab File: VD065330.D

Acq: 26 Feb 2020 16:15

Instrument :

MSVOA_D

ClientSampleId :

RO-1-2


Tot Ion:114 Resp: 679188

Ion Ratio Lower Upper

114 100

63 19.9 0.0 39.4




88 14.4 0.0 30.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 57.721 ug/l

RT: 7.92 min Scan# 1020

Delta R.T. 0.00 min

Lab File: VD065330.D

Acq: 26 Feb 2020 16:15


Tgt Ion:113 Resp: 239039

Ion Ratio Lower Upper

113 100

111 102.4 82.9 124.3



192 22.0 17.3 25.9



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 52.763 ug/l
RT: 10.34 min Scan# 1432
Delta R.T. 0.00 min
Lab File: VD065330.D
Acq: 26 Feb 2020 16:15




Instrument :
MSVOA_D
ClientSampleId :
RO-1-2


Tot Ion: 98 Resp: 835338
Ion Ratio Lower Upper
98 100
100 65.3 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 51.915 ug/l
RT: 12.64 min Scan# 1822
Delta R.T. 0.00 min
Lab File: VD065330.D
Acq: 26 Feb 2020 16:15

Tgt Ion: 95 Resp: 260373
Ion Ratio Lower Upper
95 100
174 89.6 0.0 178.0
176 85.5 0.0 174.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. 0.00 min
Lab File: VD065330.D
Acq: 26 Feb 2020 16:15

Instrument :
MSVOA_D
ClientSampleID :
RO-1-2

Tot Ion:117 Resp: 651127
Ion Ratio Lower Upper
117 100
82 53.1 42.7 64.1
119 32.9 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1983
Delta R.T. 0.00 min
Lab File: VD065330.D
Acq: 26 Feb 2020 16:15

Tgt Ion:152 Resp: 295045
Ion Ratio Lower Upper
152 100
115 56.1 27.6 82.8
150 158.0 0.0 347.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

