

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD022620\
 Data File : VD065332.D
 Acq On : 26 Feb 2020 17:13
 Operator : VA/SY
 Sample : L1688-04RE
 Misc : 6.37G/5.00ml/MSVOA D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 GP-04-022420RE

Quant Time: Feb 27 08:35:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 19 03:26:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	528200	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	851167	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	581690	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	120100	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	257809	54.26	ug/l	0.00
Spiked Amount	50.000		Recovery	=	108.52%	
35) Dibromofluoromethane	7.92	113	286116	55.13	ug/l	0.00
Spiked Amount	50.000		Recovery	=	110.26%	
50) Toluene-d8	10.34	98	982750	49.53	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.06%	
62) 4-Bromofluorobenzene	12.64	95	158309	25.19	ug/l	0.00
Spiked Amount	50.000		Recovery	=	50.38%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD022620\
Data File : VD065332.D
Acq On : 26 Feb 2020 17:13
Operator : VA/SY
Sample : L1688-04RE
Misc : 6.37G/5.00ml/MSVOA D/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
GP-04-022420RE

Quant Time: Feb 27 08:35:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 19 03:26:54 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. -0.00 min

Lab File: VD065332.D

Acq: 26 Feb 2020 17:13

Instrument :

MSVOA_D

ClientSampleId :


GP-04-022420RE

Tot Ion:168 Resp: 528200

Ion Ratio Lower Upper




168 100

99 52.2 41.4 62.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 54.256 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. -0.00 min

Lab File: VD065332.D


Acq: 26 Feb 2020 17:13

Tgt Ion: 65 Resp: 257809

Ion Ratio Lower Upper



65 100


67 53.3 0.0 106.8



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC






#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.87 min Scan# 1181
 Delta R.T. -0.00 min
 Lab File: VD065332.D
 Acq: 26 Feb 2020 17:13

Instrument :
 MSVOA_D
 ClientSampleId :
 GP-04-022420RE




Tot Ion	Ratio	Lower	Upper
114	100		
63	19.4	0.0	39.4
88	15.5	0.0	30.4



Abundance Ion 113.90 (113.60 to 114.60): V


Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35
 Dibromofluoromethane
 Concen: 55.129 ug/l
 RT: 7.92 min Scan# 1020
 Delta R.T. -0.00 min
 Lab File: VD065332.D
 Acq: 26 Feb 2020 17:13



Tgt Ion	Ratio	Lower	Upper
113	100		
111	100.9	82.9	124.3
192	22.2	17.3	25.9



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 49.532 ug/l
RT: 10.34 min Scan# 1432
Delta R.T. -0.00 min
Lab File: VD065332.D
Acq: 26 Feb 2020 17:13




Instrument :
MSVOA_D
ClientSampleId :
GP-04-022420RE


Tot Ion: 98 Resp: 982750
Ion Ratio Lower Upper
98 100
100 65.6 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 25.187 ug/l
RT: 12.64 min Scan# 1823
Delta R.T. 0.01 min
Lab File: VD065332.D
Acq: 26 Feb 2020 17:13

Tgt Ion: 95 Resp: 158309
Ion Ratio Lower Upper
95 100
174 91.4 0.0 178.0
176 88.0 0.0 174.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. -0.00 min
Lab File: VD065332.D
Acq: 26 Feb 2020 17:13

Instrument :
MSVOA_D
ClientSampleId :
GP-04-022420RE

Tot Ion:117 Resp: 581690
Ion Ratio Lower Upper
117 100
82 53.7 42.7 64.1
119 32.6 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1983
Delta R.T. -0.00 min
Lab File: VD065332.D
Acq: 26 Feb 2020 17:13

Tgt Ion:152 Resp: 120100
Ion Ratio Lower Upper
152 100
115 55.4 27.6 82.8
150 153.8 0.0 347.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

