

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD030221\
 Data File : VD068495.D
 Acq On : 02 Mar 2021 14:46
 Operator : VA/SY
 Sample : M1544-03
 Misc : 7.03G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 TT-040-IDWSO-20210301

Quant Time: Mar 02 23:58:11 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 26 14:04:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.985	168	272401	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.867	114	476169	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.643	117	439636	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.573	152	189079	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	124442	45.72	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	91.44%
35) Dibromofluoromethane	7.920	113	139768	48.73	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.46%
50) Toluene-d8	10.344	98	600255	52.54	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	105.08%
62) 4-Bromofluorobenzene	12.632	95	176843	48.03	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	96.06%
Target Compounds						
					Qvalue	
5) Bromomethane	2.773	94	9903	3.51	ug/l	88
10) Methyl Iodide	4.297	142	10731	5.70	ug/l	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD030221\
Data File : VD068495.D
Acq On : 02 Mar 2021 14:46
Operator : VA/SY
Sample : M1544-03
Misc : 7.03G/5.00ml/MSVOA_D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
TT-040-IDWSO-20210301

Quant Time: Mar 02 23:58:11 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 26 14:04:14 2021
Response via : Initial Calibration

