

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD030223\
 Data File : VD075436.D
 Acq On : 02 Mar 2023 11:32
 Operator : KP/SY
 Sample : VD0302SBL03
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 VBLK105

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 03/03/2023
 Supervised By :Mahesh Dadoda 03/03/2023

Quant Time: Mar 03 04:39:15 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM030123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Mar 03 04:38:18 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.781	114	301296	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.587	117	263437	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.522	152	113622	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.281	65	153542	20.524	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	82.080%		
7) Chloroethane-d5	2.805	69	139172	21.497	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	86.000%		
11) 1,1-Dichloroethene-d2	3.922	63	111251m	15.921	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	63.680%		
21) 2-Butanone-d5	6.993	46	29373	42.369	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	84.740%		
24) Chloroform-d	7.569	84	174389	22.086	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	88.360%		
26) 1,2-Dichloroethane-d4	8.234	65	75564	22.090	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	88.360%		
32) Benzene-d6	8.205	84	366911	23.452	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	93.800%		
36) 1,2-Dichloropropane-d6	9.216	67	103468	23.399	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	93.600%		
41) Toluene-d8	10.275	98	320640	22.466	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	89.880%		
43) trans-1,3-Dichloroprop...	10.528	79	39811	22.032	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	88.120%		
47) 2-Hexanone-d5	10.881	63	25078	39.313	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	78.620%		
56) 1,1,2,2-Tetrachloroeth...	12.651	84	78270	21.161	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	84.640%		
66) 1,2-Dichlorobenzene-d4	13.822	152	95195	23.952	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	95.800%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD030223\
Data File : VD075436.D
Acq On : 02 Mar 2023 11:32
Operator : KP/SY
Sample : VD0302SBL03
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
VBLK105

Quant Time: Mar 03 04:39:15 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM030123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Mar 03 04:38:18 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 03/03/2023
Supervised By :Mahesh Dadoda 03/03/2023

