

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD030320\
 Data File : VD065398.D
 Acq On : 03 Mar 2020 17:00
 Operator : VA/SY
 Sample : L1775-07
 Misc : 8.27G/5.00ml/MSVOA D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CR-2

Quant Time: Mar 04 05:49:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
 Quant Title : SW846 8260
 QLast Update : Wed Feb 19 03:26:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	548300	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	950468	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	859366	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	388999	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.34	65	286298	58.04	ug/l	0.00
Spiked Amount						
			Recovery	=	116.08%	
35) Dibromofluoromethane	7.92	113	305904	52.78	ug/l	0.00
Spiked Amount						
			Recovery	=	105.56%	
50) Toluene-d8	10.34	98	1146644	51.75	ug/l	0.00
Spiked Amount						
			Recovery	=	103.50%	
62) 4-Bromofluorobenzene	12.64	95	344938	49.15	ug/l	0.00
Spiked Amount						
			Recovery	=	98.30%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD030320\
Data File : VD065398.D
Acq On : 03 Mar 2020 17:00
Operator : VA/SY
Sample : L1775-07
Misc : 8.27G/5.00ml/MSVOA D/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CR-2

Quant Time: Mar 04 05:49:23 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D021820S.M
Quant Title : SW846 8260
QLast Update : Wed Feb 19 03:26:54 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. 0.00 min

Lab File: VD065398.D

Acq: 03 Mar 2020 17:00

Instrument :

MSVOA_D

ClientSampleId :


CR-2

Tot Ion:168 Resp: 548300

Ion Ratio Lower Upper

168 100

99 52.5 41.4 62.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC

7.98

250000

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 58.042 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. 0.00 min

Lab File: VD065398.D


Acq: 03 Mar 2020 17:00

Tgt Ion: 65 Resp: 286298

Ion Ratio Lower Upper

65 100

67 53.1 0.0 106.8



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC

8.34


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.87 min Scan# 1181
 Delta R.T. 0.00 min
 Lab File: VD065398.D
 Acq: 03 Mar 2020 17:00

Instrument :
 MSVOA_D
 ClientSampleId :
 CR-2

Tot Ion:114 Resp: 950468
 Ion Ratio Lower Upper
 114 100
 63 19.3 0.0 39.4
 88 14.4 0.0 30.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 52.784 ug/l
 RT: 7.92 min Scan# 1020
 Delta R.T. 0.00 min
 Lab File: VD065398.D
 Acq: 03 Mar 2020 17:00

Tgt Ion:113 Resp: 305904
 Ion Ratio Lower Upper
 113 100
 111 103.2 82.9 124.3
 192 21.9 17.3 25.9



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 51.755 ug/l
RT: 10.34 min Scan# 1432
Delta R.T. 0.00 min
Lab File: VD065398.D
Acq: 03 Mar 2020 17:00




Instrument :
MSVOA_D
ClientSampleId :
CR-2


Tot Ion: 98 Resp: 1146644
Ion Ratio Lower Upper
98 100
100 65.0 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 49.146 ug/l
RT: 12.64 min Scan# 1823
Delta R.T. 0.01 min
Lab File: VD065398.D
Acq: 03 Mar 2020 17:00

Tgt Ion: 95 Resp: 344938
Ion Ratio Lower Upper
95 100
174 90.9 0.0 178.0
176 87.4 0.0 174.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. 0.00 min
Lab File: VD065398.D
Acq: 03 Mar 2020 17:00

Instrument :
MSVOA_D
ClientSampleId :
CR-2

Tot Ion:117 Resp: 859366
Ion Ratio Lower Upper
117 100
82 54.5 42.7 64.1
119 32.7 25.5 38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1983
Delta R.T. 0.00 min
Lab File: VD065398.D
Acq: 03 Mar 2020 17:00

Tgt Ion:152 Resp: 388999
Ion Ratio Lower Upper
152 100
115 55.2 27.6 82.8
150 157.4 0.0 347.4

