

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD030520\
 Data File : VD065423.D
 Acq On : 05 Mar 2020 11:11
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 06 03:53:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 01:22:07 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	105	0.00
2 T	Dichlorodifluoromethane	0.430	0.412	4.2	110	0.00
3 P	Chloromethane	0.519	0.489	5.8	109	0.00
4 C	Vinyl Chloride	0.512	0.511	0.2#	109	0.00
5 T	Bromomethane	0.327	0.322	1.5	112	0.00
6 T	Chloroethane	0.313	0.313	0.0	108	0.00
7 T	Trichlorofluoromethane	0.754	0.751	0.4	110	0.00
8 T	Diethyl Ether	0.224	0.218	2.7	107	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.486	0.489	-0.6	112	0.00
10 T	Methyl Iodide	0.505	0.570	-12.9	109	0.00
11 T	Tert butyl alcohol	0.025	0.020	20.0#	91	0.00
12 CM	1,1-Dichloroethene	0.465	0.465	0.0	110	0.00
13 T	Acrolein	0.042	0.036	14.3	100	0.00
14 T	Allyl chloride	0.714	0.727	-1.8	109	0.00
15 T	Acrylonitrile	0.098	0.095	3.1	107	0.00
16 T	Acetone	0.087	0.102	-17.2	136	0.00
17 T	Carbon Disulfide	1.549	1.542	0.5	108	0.00
18 T	Methyl Acetate	0.220	0.210	4.5	108	0.00
19 T	Methyl tert-butyl Ether	0.894	0.917	-2.6	108	0.00
20 T	Methylene Chloride	0.537	0.504	6.1	111	0.00
21 T	trans-1,2-Dichloroethene	0.517	0.530	-2.5	109	0.00
22 T	Diisopropyl ether	1.328	1.402	-5.6	109	0.00
23 T	Vinyl Acetate	0.737	0.784	-6.4	108	0.00
24 P	1,1-Dichloroethane	0.852	0.857	-0.6	108	-0.01
25 T	2-Butanone	0.118	0.124	-5.1	115	0.00
26 T	2,2-Dichloropropane	0.744	0.766	-3.0	112	0.00
27 T	cis-1,2-Dichloroethene	0.529	0.541	-2.3	108	0.00
28 T	Bromochloromethane	0.341	0.346	-1.5	110	0.00
29 T	Tetrahydrofuran	0.076	0.075	1.3	106	0.00
30 C	Chloroform	0.851	0.856	-0.6#	108	0.00
31 T	Cyclohexane	0.852	0.851	0.1	110	0.00
32 T	1,1,1-Trichloroethane	0.787	0.795	-1.0	109	0.00
33 S	1,2-Dichloroethane-d4	0.429	0.409	4.7	104	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	105	0.00
35 S	Dibromofluoromethane	0.309	0.309	0.0	105	0.00
36 T	1,1-Dichloropropene	0.479	0.509	-6.3	110	0.00
37 T	Ethyl Acetate	0.185	0.191	-3.2	112	0.00
38 T	Carbon Tetrachloride	0.497	0.521	-4.8	111	0.00
39 T	Methylcyclohexane	0.579	0.635	-9.7	110	0.00
40 TM	Benzene	1.340	1.390	-3.7	107	0.00
41 T	Methacrylonitrile	0.098	0.110	-12.2	136	0.00
42 TM	1,2-Dichloroethane	0.350	0.352	-0.6	108	0.00
43 T	Isopropyl Acetate	0.342	0.345	-0.9	106	0.00
44 TM	Trichloroethene	0.378	0.394	-4.2	108	0.00
45 C	1,2-Dichloropropane	0.325	0.339	-4.3#	109	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD030520\
 Data File : VD065423.D
 Acq On : 05 Mar 2020 11:11
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 06 03:53:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 01:22:07 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.168	0.170	-1.2	105	0.00
47 T	Bromodichloromethane	0.438	0.449	-2.5	107	0.00
48 T	Methyl methacrylate	0.161	0.162	-0.6	107	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	96	0.00
50 S	Toluene-d8	1.186	1.236	-4.2	105	0.00
51 T	4-Methyl-2-Pentanone	0.172	0.181	-5.2	109	0.00
52 CM	Toluene	0.844	0.885	-4.9#	107	0.00
53 T	t-1,3-Dichloropropene	0.409	0.432	-5.6	109	0.00
54 T	cis-1,3-Dichloropropene	0.495	0.532	-7.5	109	0.00
55 T	1,1,2-Trichloroethane	0.238	0.240	-0.8	108	0.00
56 T	Ethyl methacrylate	0.269	0.291	-8.2	109	0.00
57 T	1,3-Dichloropropane	0.403	0.421	-4.5	110	0.00
58 T	2-Chloroethyl Vinyl ether	0.087	0.075	13.8	103	0.00
59 T	2-Hexanone	0.119	0.135	-13.4	116	0.00
60 T	Dibromochloromethane	0.306	0.314	-2.6	109	0.00
61 T	1,2-Dibromoethane	0.227	0.232	-2.2	109	0.00
62 S	4-Bromofluorobenzene	0.366	0.378	-3.3	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	104	0.00
64 T	Tetrachloroethene	0.358	0.387	-8.1	111	0.00
65 PM	Chlorobenzene	0.989	1.026	-3.7	107	0.00
66 T	1,1,1,2-Tetrachloroethane	0.360	0.383	-6.4	110	0.00
67 C	Ethyl Benzene	1.710	1.876	-9.7#	108	0.00
68 T	m/p-Xylenes	0.659	0.725	-10.0	107	0.00
69 T	o-Xylene	0.580	0.640	-10.3	107	0.00
70 T	Styrene	1.021	1.142	-11.9	109	0.00
71 P	Bromoform	0.202	0.208	-3.0	109	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
73 T	Isopropylbenzene	3.289	3.676	-11.8	109	0.00
74 T	N-amyl acetate	0.673	0.704	-4.6	107	0.00
75 P	1,1,2,2-Tetrachloroethane	0.578	0.568	1.7	106	0.00
76 T	1,2,3-Trichloropropane	0.395	0.386	2.3	105	0.00
77 T	Bromobenzene	0.817	0.874	-7.0	111	0.00
78 T	n-propylbenzene	3.902	4.384	-12.4	111	0.00
79 T	2-Chlorotoluene	2.199	2.372	-7.9	109	0.00
80 T	1,3,5-Trimethylbenzene	2.704	3.022	-11.8	109	0.00
81 T	trans-1,4-Dichloro-2-butene	0.187	0.201	-7.5	113	0.00
82 T	4-Chlorotoluene	2.311	2.485	-7.5	109	0.00
83 T	tert-Butylbenzene	2.287	2.535	-10.8	110	0.00
84 T	1,2,4-Trimethylbenzene	2.665	2.979	-11.8	109	0.00
85 T	sec-Butylbenzene	3.265	3.668	-12.3	110	0.00
86 T	p-Isopropyltoluene	2.979	3.397	-14.0	111	0.00
87 T	1,3-Dichlorobenzene	1.571	1.645	-4.7	109	0.00
88 T	1,4-Dichlorobenzene	1.563	1.604	-2.6	108	0.00
89 T	n-Butylbenzene	2.754	3.116	-13.1	110	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD030520\
Data File : VD065423.D
Acq On : 05 Mar 2020 11:11
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Mar 06 03:53:15 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
Quant Title : SW846 8260
QLast Update : Thu Mar 05 01:22:07 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.614	0.659	-7.3	111	0.00
91 T	1,2-Dichlorobenzene	1.337	1.392	-4.1	110	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.086	2.3	107	0.00
93 T	1,2,4-Trichlorobenzene	0.906	0.989	-9.2	113	0.00
94 T	Hexachlorobutadiene	0.595	0.633	-6.4	110	0.00
95 T	Naphthalene	1.449	1.595	-10.1	111	0.00
96 T	1,2,3-Trichlorobenzene	0.783	0.853	-8.9	112	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5