

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031120\  
 Data File : VD065473.D  
 Acq On : 11 Mar 2020 10:56  
 Operator : VA/SY  
 Sample : VSTDCCC050  
 Misc : 5.00G/5.00ml/MSVOA D/SOIL  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 LabSampleId :  
 VSTDCCC050

Quant Time: Mar 11 17:16:52 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_D\METHOD\82D030420S.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Mar 05 01:22:07 2020  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

|       | Compound                    | AvgRF | CCRF  | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 1.000 | 1.000 | 0.0   | 97    | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 0.430 | 0.378 | 12.1  | 93    | 0.00     |
| 3 P   | Chloromethane               | 0.519 | 0.470 | 9.4   | 97    | 0.00     |
| 4 C   | Vinyl Chloride              | 0.512 | 0.482 | 5.9#  | 95    | 0.00     |
| 5 T   | Bromomethane                | 0.327 | 0.298 | 8.9   | 96    | 0.00     |
| 6 T   | Chloroethane                | 0.313 | 0.304 | 2.9   | 97    | 0.00     |
| 7 T   | Trichlorofluoromethane      | 0.754 | 0.741 | 1.7   | 100   | 0.00     |
| 8 T   | Diethyl Ether               | 0.224 | 0.217 | 3.1   | 99    | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 0.486 | 0.481 | 1.0   | 102   | 0.00     |
| 10 T  | Methyl Iodide               | 0.505 | 0.514 | -1.8  | 91    | 0.00     |
| 11 T  | Tert butyl alcohol          | 0.025 | 0.021 | 16.0  | 92    | 0.00     |
| 12 CM | 1,1-Dichloroethene          | 0.465 | 0.449 | 3.4#  | 98    | 0.00     |
| 13 T  | Acrolein                    | 0.042 | 0.040 | 4.8   | 103   | 0.00     |
| 14 T  | Allyl chloride              | 0.714 | 0.681 | 4.6   | 94    | 0.00     |
| 15 T  | Acrylonitrile               | 0.098 | 0.097 | 1.0   | 101   | 0.00     |
| 16 T  | Acetone                     | 0.087 | 0.100 | -14.9 | 123   | 0.00     |
| 17 T  | Carbon Disulfide            | 1.549 | 1.471 | 5.0   | 95    | 0.00     |
| 18 T  | Methyl Acetate              | 0.220 | 0.212 | 3.6   | 101   | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 0.894 | 0.902 | -0.9  | 98    | 0.00     |
| 20 T  | Methylene Chloride          | 0.537 | 0.502 | 6.5   | 102   | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 0.517 | 0.523 | -1.2  | 100   | 0.00     |
| 22 T  | Diisopropyl ether           | 1.328 | 1.392 | -4.8  | 100   | 0.00     |
| 23 T  | Vinyl Acetate               | 0.737 | 0.787 | -6.8  | 100   | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 0.852 | 0.841 | 1.3   | 98    | 0.00     |
| 25 T  | 2-Butanone                  | 0.118 | 0.123 | -4.2  | 106   | 0.00     |
| 26 T  | 2,2-Dichloropropane         | 0.744 | 0.757 | -1.7  | 102   | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 0.529 | 0.534 | -0.9  | 98    | 0.00     |
| 28 T  | Bromochloromethane          | 0.341 | 0.343 | -0.6  | 101   | 0.00     |
| 29 T  | Tetrahydrofuran             | 0.076 | 0.076 | 0.0   | 99    | 0.00     |
| 30 C  | Chloroform                  | 0.851 | 0.864 | -1.5# | 101   | 0.00     |
| 31 T  | Cyclohexane                 | 0.852 | 0.798 | 6.3   | 95    | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 0.787 | 0.796 | -1.1  | 101   | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 0.429 | 0.395 | 7.9   | 92    | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 1.000 | 1.000 | 0.0   | 95    | 0.00     |
| 35 S  | Dibromofluoromethane        | 0.309 | 0.300 | 2.9   | 91    | 0.00     |
| 36 T  | 1,1-Dichloropropene         | 0.479 | 0.512 | -6.9  | 100   | 0.00     |
| 37 T  | Ethyl Acetate               | 0.185 | 0.200 | -8.1  | 106   | 0.00     |
| 38 T  | Carbon Tetrachloride        | 0.497 | 0.530 | -6.6  | 102   | 0.00     |
| 39 T  | Methylcyclohexane           | 0.579 | 0.621 | -7.3  | 97    | 0.00     |
| 40 TM | Benzene                     | 1.340 | 1.446 | -7.9  | 101   | 0.00     |
| 41 T  | Methacrylonitrile           | 0.098 | 0.116 | -18.4 | 130   | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 0.350 | 0.375 | -7.1  | 103   | 0.00     |
| 43 T  | Isopropyl Acetate           | 0.342 | 0.357 | -4.4  | 99    | 0.00     |
| 44 TM | Trichloroethene             | 0.378 | 0.397 | -5.0  | 98    | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 0.325 | 0.348 | -7.1# | 101   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031120\  
 Data File : VD065473.D  
 Acq On : 11 Mar 2020 10:56  
 Operator : VA/SY  
 Sample : VSTDCCC050  
 Misc : 5.00G/5.00ml/MSVOA D/SOIL  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 LabSampleId :  
 VSTDCCC050

Quant Time: Mar 11 17:16:52 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_D\METHOD\82D030420S.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Mar 05 01:22:07 2020  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

|       | Compound                    | AvqRF | CCRF  | %Dev   | Area% | Dev(min) |
|-------|-----------------------------|-------|-------|--------|-------|----------|
| 46 T  | Dibromomethane              | 0.168 | 0.183 | -8.9   | 102   | 0.00     |
| 47 T  | Bromodichloromethane        | 0.438 | 0.474 | -8.2   | 102   | 0.00     |
| 48 T  | Methyl methacrylate         | 0.161 | 0.186 | -15.5  | 110   | 0.00     |
| 49 T  | 1,4-Dioxane                 | 0.002 | 0.002 | 0.0    | 104   | 0.00     |
| 50 S  | Toluene-d8                  | 1.186 | 1.180 | 0.5    | 90    | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 0.172 | 0.190 | -10.5  | 103   | 0.00     |
| 52 CM | Toluene                     | 0.844 | 0.923 | -9.4#  | 100   | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 0.409 | 0.443 | -8.3   | 100   | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 0.495 | 0.536 | -8.3   | 99    | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 0.238 | 0.258 | -8.4   | 104   | 0.00     |
| 56 T  | Ethyl methacrylate          | 0.269 | 0.300 | -11.5  | 101   | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 0.403 | 0.436 | -8.2   | 103   | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 0.087 | 0.072 | 17.2   | 89    | 0.00     |
| 59 T  | 2-Hexanone                  | 0.119 | 0.140 | -17.6  | 108   | 0.00     |
| 60 T  | Dibromochloromethane        | 0.306 | 0.338 | -10.5  | 105   | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 0.227 | 0.245 | -7.9   | 103   | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 0.366 | 0.372 | -1.6   | 91    | 0.00     |
| 63 I  | Chlorobenzene-d5            | 1.000 | 1.000 | 0.0    | 95    | 0.00     |
| 64 T  | Tetrachloroethene           | 0.358 | 0.385 | -7.5   | 102   | 0.00     |
| 65 PM | Chlorobenzene               | 0.989 | 1.055 | -6.7   | 102   | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 0.360 | 0.398 | -10.6  | 106   | 0.00     |
| 67 C  | Ethyl Benzene               | 1.710 | 1.894 | -10.8# | 101   | 0.00     |
| 68 T  | m/p-Xylenes                 | 0.659 | 0.738 | -12.0  | 101   | 0.00     |
| 69 T  | o-Xylene                    | 0.580 | 0.645 | -11.2  | 99    | 0.00     |
| 70 T  | Styrene                     | 1.021 | 1.163 | -13.9  | 102   | 0.00     |
| 71 P  | Bromoform                   | 0.202 | 0.223 | -10.4  | 108   | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 1.000 | 1.000 | 0.0    | 99    | 0.00     |
| 73 T  | Isopropylbenzene            | 3.289 | 3.622 | -10.1  | 101   | 0.00     |
| 74 T  | N-amyl acetate              | 0.673 | 0.713 | -5.9   | 101   | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 0.578 | 0.603 | -4.3   | 105   | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 0.395 | 0.471 | -19.2  | 120   | 0.00     |
| 77 T  | Bromobenzene                | 0.817 | 0.878 | -7.5   | 104   | 0.00     |
| 78 T  | n-propylbenzene             | 3.902 | 4.320 | -10.7  | 102   | 0.00     |
| 79 T  | 2-Chlorotoluene             | 2.199 | 2.374 | -8.0   | 103   | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 2.704 | 2.981 | -10.2  | 101   | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 0.187 | 0.196 | -4.8   | 104   | 0.00     |
| 82 T  | 4-Chlorotoluene             | 2.311 | 2.492 | -7.8   | 102   | 0.00     |
| 83 T  | tert-Butylbenzene           | 2.287 | 2.540 | -11.1  | 104   | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 2.665 | 2.964 | -11.2  | 102   | 0.00     |
| 85 T  | sec-Butylbenzene            | 3.265 | 3.598 | -10.2  | 101   | 0.00     |
| 86 T  | p-Isopropyltoluene          | 2.979 | 3.304 | -10.9  | 101   | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 1.571 | 1.664 | -5.9   | 104   | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 1.563 | 1.641 | -5.0   | 104   | 0.00     |
| 89 T  | n-Butylbenzene              | 2.754 | 3.061 | -11.1  | 101   | 0.00     |

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031120\  
Data File : VD065473.D  
Acq On : 11 Mar 2020 10:56  
Operator : VA/SY  
Sample : VSTDCCC050  
Misc : 5.00G/5.00ml/MSVOA D/SOIL  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_D  
LabSampleId :  
VSTDCCC050

Quant Time: Mar 11 17:16:52 2020  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_D\METHOD\82D030420S.M  
Quant Title : SW846 8260  
QLast Update : Thu Mar 05 01:22:07 2020  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound                    | AvgRF | CCRF  | %Dev | Area% | Dev(min) |
|------|-----------------------------|-------|-------|------|-------|----------|
| 90 T | Hexachloroethane            | 0.614 | 0.647 | -5.4 | 102   | 0.00     |
| 91 T | 1,2-Dichlorobenzene         | 1.337 | 1.425 | -6.6 | 105   | 0.00     |
| 92 T | 1,2-Dibromo-3-Chloropropane | 0.088 | 0.090 | -2.3 | 104   | 0.00     |
| 93 T | 1,2,4-Trichlorobenzene      | 0.906 | 0.968 | -6.8 | 104   | 0.00     |
| 94 T | Hexachlorobutadiene         | 0.595 | 0.632 | -6.2 | 103   | 0.00     |
| 95 T | Naphthalene                 | 1.449 | 1.581 | -9.1 | 104   | 0.00     |
| 96 T | 1,2,3-Trichlorobenzene      | 0.783 | 0.856 | -9.3 | 105   | 0.00     |

(#) = Out of Range

SPCC's out = 0 CCC's out = 6