

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031121\
 Data File : VD068588.D
 Acq On : 11 Mar 2021 16:37
 Operator : VA/SY
 Sample : M1613-02
 Misc : 4.99G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 S-1A

Quant Time: Mar 12 00:13:21 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 26 14:04:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.985	168	310225	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.867	114	564612	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.644	117	543745	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.573	152	288585	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	160269	51.71	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	103.42%
35) Dibromofluoromethane	7.914	113	169290	49.77	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.54%
50) Toluene-d8	10.344	98	706644	52.16	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	104.32%
62) 4-Bromofluorobenzene	12.632	95	239216	54.79	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	109.58%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031121\
Data File : VD068588.D
Acq On : 11 Mar 2021 16:37
Operator : VA/SY
Sample : M1613-02
Misc : 4.99G/5.00ml/MSVOA_D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
S-1A

Quant Time: Mar 12 00:13:21 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 26 14:04:14 2021
Response via : Initial Calibration

