

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031121\
 Data File : VD068590.D
 Acq On : 11 Mar 2021 17:34
 Operator : VA/SY
 Sample : M1615-02
 Misc : 5.57G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 FK-BPM-04-015-ABCD

Quant Time: Mar 12 00:13:52 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 26 14:04:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.985	168	309898	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.867	114	565331	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.644	117	558612	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.573	152	302587	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	173968	56.19	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.38%
35) Dibromofluoromethane	7.920	113	177313	52.07	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.14%
50) Toluene-d8	10.338	98	712585	52.53	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	105.06%
62) 4-Bromofluorobenzene	12.632	95	246220	56.32	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	112.64%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031121\
Data File : VD068590.D
Acq On : 11 Mar 2021 17:34
Operator : VA/SY
Sample : M1615-02
Misc : 5.57G/5.00ml/MSVOA_D/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
FK-BPM-04-015-ABCD

Quant Time: Mar 12 00:13:52 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 26 14:04:14 2021
Response via : Initial Calibration

