

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031220\
 Data File : VD065496.D
 Acq On : 12 Mar 2020 21:09
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 13 05:00:16 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 01:22:07 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	86	0.00
2 T	Dichlorodifluoromethane	0.430	0.360	16.3	78	0.00
3 P	Chloromethane	0.519	0.473	8.9	86	0.00
4 C	Vinyl Chloride	0.512	0.470	8.2#	82	0.00
5 T	Bromomethane	0.327	0.307	6.1	87	0.00
6 T	Chloroethane	0.313	0.303	3.2	85	0.00
7 T	Trichlorofluoromethane	0.754	0.709	6.0	85	0.00
8 T	Diethyl Ether	0.224	0.240	-7.1	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.486	0.461	5.1	86	0.00
10 T	Methyl Iodide	0.505	0.531	-5.1	83	0.00
11 T	Tert butyl alcohol	0.025	0.029	-16.0	108	0.00
12 CM	1,1-Dichloroethene	0.465	0.440	5.4#	85	0.00
13 T	Acrolein	0.042	0.045	-7.1	101	0.00
14 T	Allyl chloride	0.714	0.709	0.7	86	0.00
15 T	Acrylonitrile	0.098	0.107	-9.2	98	0.00
16 T	Acetone	0.087	0.075	13.8	81	0.00
17 T	Carbon Disulfide	1.549	1.417	8.5	81	0.00
18 T	Methyl Acetate	0.220	0.235	-6.8	99	0.00
19 T	Methyl tert-butyl Ether	0.894	1.015	-13.5	97	0.00
20 T	Methylene Chloride	0.537	0.539	-0.4	96	0.00
21 T	trans-1,2-Dichloroethene	0.517	0.526	-1.7	88	0.00
22 T	Diisopropyl ether	1.328	1.512	-13.9	96	0.00
23 T	Vinyl Acetate	0.737	0.854	-15.9	95	0.00
24 P	1,1-Dichloroethane	0.852	0.902	-5.9	93	0.00
25 T	2-Butanone	0.118	0.124	-5.1	94	0.00
26 T	2,2-Dichloropropane	0.744	0.717	3.6	85	0.00
27 T	cis-1,2-Dichloroethene	0.529	0.570	-7.8	92	0.00
28 T	Bromochloromethane	0.341	0.382	-12.0	99	0.00
29 T	Tetrahydrofuran	0.076	0.086	-13.2	99	0.00
30 C	Chloroform	0.851	0.931	-9.4#	95	0.00
31 T	Cyclohexane	0.852	0.778	8.7	82	0.00
32 T	1,1,1-Trichloroethane	0.787	0.800	-1.7	89	0.00
33 S	1,2-Dichloroethane-d4	0.429	0.449	-4.7	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	89	0.00
35 S	Dibromofluoromethane	0.309	0.319	-3.2	91	0.00
36 T	1,1-Dichloropropene	0.479	0.475	0.8	87	0.00
37 T	Ethyl Acetate	0.185	0.202	-9.2	100	0.00
38 T	Carbon Tetrachloride	0.497	0.491	1.2	89	0.00
39 T	Methylcyclohexane	0.579	0.555	4.1	81	0.00
40 TM	Benzene	1.340	1.417	-5.7	93	0.00
41 T	Methacrylonitrile	0.098	0.096	2.0	101	0.00
42 TM	1,2-Dichloroethane	0.350	0.383	-9.4	99	0.00
43 T	Isopropyl Acetate	0.342	0.367	-7.3	96	0.00
44 TM	Trichloroethene	0.378	0.388	-2.6	90	0.00
45 C	1,2-Dichloropropane	0.325	0.356	-9.5#	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031220\
 Data File : VD065496.D
 Acq On : 12 Mar 2020 21:09
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 13 05:00:16 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 01:22:07 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.168	0.187	-11.3	98	0.00
47 T	Bromodichloromethane	0.438	0.479	-9.4	96	0.00
48 T	Methyl methacrylate	0.161	0.182	-13.0	101	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	101	0.00
50 S	Toluene-d8	1.186	1.207	-1.8	87	0.00
51 T	4-Methyl-2-Pentanone	0.172	0.198	-15.1	101	0.00
52 CM	Toluene	0.844	0.913	-8.2#	93	0.00
53 T	t-1,3-Dichloropropene	0.409	0.447	-9.3	95	0.00
54 T	cis-1,3-Dichloropropene	0.495	0.548	-10.7	95	0.00
55 T	1,1,2-Trichloroethane	0.238	0.267	-12.2	102	0.00
56 T	Ethyl methacrylate	0.269	0.314	-16.7	99	0.00
57 T	1,3-Dichloropropane	0.403	0.450	-11.7	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.087	0.084	3.4	97	0.00
59 T	2-Hexanone	0.119	0.133	-11.8	96	0.00
60 T	Dibromochloromethane	0.306	0.346	-13.1	101	0.00
61 T	1,2-Dibromoethane	0.227	0.253	-11.5	101	0.00
62 S	4-Bromofluorobenzene	0.366	0.398	-8.7	92	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.358	0.356	0.6	91	0.00
65 PM	Chlorobenzene	0.989	1.039	-5.1	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.360	0.392	-8.9	101	0.00
67 C	Ethyl Benzene	1.710	1.830	-7.0#	94	0.00
68 T	m/p-Xylenes	0.659	0.709	-7.6	94	0.00
69 T	o-Xylene	0.580	0.639	-10.2	95	0.00
70 T	Styrene	1.021	1.146	-12.2	97	0.00
71 P	Bromoform	0.202	0.216	-6.9	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.289	3.407	-3.6	93	0.00
74 T	N-amyl acetate	0.673	0.726	-7.9	101	0.00
75 P	1,1,2,2-Tetrachloroethane	0.578	0.602	-4.2	103	0.00
76 T	1,2,3-Trichloropropane	0.395	0.394	0.3	99	0.00
77 T	Bromobenzene	0.817	0.852	-4.3	99	0.00
78 T	n-propylbenzene	3.902	4.022	-3.1	93	0.00
79 T	2-Chlorotoluene	2.199	2.254	-2.5	96	0.00
80 T	1,3,5-Trimethylbenzene	2.704	2.849	-5.4	95	0.00
81 T	trans-1,4-Dichloro-2-butene	0.187	0.183	2.1	95	0.00
82 T	4-Chlorotoluene	2.311	2.385	-3.2	96	0.00
83 T	tert-Butylbenzene	2.287	2.376	-3.9	95	0.00
84 T	1,2,4-Trimethylbenzene	2.665	2.858	-7.2	96	0.00
85 T	sec-Butylbenzene	3.265	3.299	-1.0	91	0.00
86 T	p-Isopropyltoluene	2.979	3.089	-3.7	92	0.00
87 T	1,3-Dichlorobenzene	1.571	1.631	-3.8	100	0.00
88 T	1,4-Dichlorobenzene	1.563	1.593	-1.9	99	0.00
89 T	n-Butylbenzene	2.754	2.825	-2.6	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031220\
Data File : VD065496.D
Acq On : 12 Mar 2020 21:09
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Mar 13 05:00:16 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
Quant Title : SW846 8260
QLast Update : Thu Mar 05 01:22:07 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.614	0.602	2.0	93	0.00
91 T	1,2-Dichlorobenzene	1.337	1.399	-4.6	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.091	-3.4	103	0.00
93 T	1,2,4-Trichlorobenzene	0.906	0.962	-6.2	101	0.00
94 T	Hexachlorobutadiene	0.595	0.579	2.7	93	0.00
95 T	Naphthalene	1.449	1.607	-10.9	103	0.00
96 T	1,2,3-Trichlorobenzene	0.783	0.854	-9.1	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6