

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031221\
 Data File : VD068607.D
 Acq On : 12 Mar 2021 15:33
 Operator : VA/SY
 Sample : M1642-03
 Misc : 7.24G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CSB-6-8-8.5

Quant Time: Mar 12 23:36:10 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 26 14:04:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	302461	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.867	114	545739	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.644	117	531195	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.573	152	291557	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	159422	52.75	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 105.50%	
35) Dibromofluoromethane	7.914	113	170852	51.97	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 103.94%	
50) Toluene-d8	10.344	98	684802	52.30	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 104.60%	
62) 4-Bromofluorobenzene	12.632	95	246499	58.41	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 116.82%	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031221\
Data File : VD068607.D
Acq On : 12 Mar 2021 15:33
Operator : VA/SY
Sample : M1642-03
Misc : 7.24G/5.00ml/MSVOA_D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CSB-6-8-8.5

Quant Time: Mar 12 23:36:10 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 26 14:04:14 2021
Response via : Initial Calibration

