

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031320\
 Data File : VD065507.D
 Acq On : 13 Mar 2020 16:46
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 16 03:38:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 01:22:07 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	0.430	0.337	21.6#	80	0.00
3 P	Chloromethane	0.519	0.414	20.2#	82	0.00
4 C	Vinyl Chloride	0.512	0.430	16.0#	82	0.00
5 T	Bromomethane	0.327	0.286	12.5	89	0.00
6 T	Chloroethane	0.313	0.276	11.8	85	0.00
7 T	Trichlorofluoromethane	0.754	0.669	11.3	88	0.00
8 T	Diethyl Ether	0.224	0.211	5.8	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.486	0.444	8.6	91	0.00
10 T	Methyl Iodide	0.505	0.492	2.6	84	0.00
11 T	Tert butyl alcohol	0.025	0.024	4.0	99	0.00
12 CM	1,1-Dichloroethene	0.465	0.418	10.1#	89	0.00
13 T	Acrolein	0.042	0.038	9.5	93	0.00
14 T	Allyl chloride	0.714	0.643	9.9	86	0.00
15 T	Acrylonitrile	0.098	0.092	6.1	92	0.00
16 T	Acetone	0.087	0.072	17.2	86	0.00
17 T	Carbon Disulfide	1.549	1.284	17.1	80	0.00
18 T	Methyl Acetate	0.220	0.201	8.6	93	0.00
19 T	Methyl tert-butyl Ether	0.894	0.884	1.1	93	0.00
20 T	Methylene Chloride	0.537	0.481	10.4	95	0.00
21 T	trans-1,2-Dichloroethene	0.517	0.473	8.5	87	0.00
22 T	Diisopropyl ether	1.328	1.339	-0.8	93	0.00
23 T	Vinyl Acetate	0.737	0.747	-1.4	92	0.00
24 P	1,1-Dichloroethane	0.852	0.800	6.1	91	0.00
25 T	2-Butanone	0.118	0.108	8.5	90	0.00
26 T	2,2-Dichloropropane	0.744	0.685	7.9	90	0.00
27 T	cis-1,2-Dichloroethene	0.529	0.510	3.6	91	0.00
28 T	Bromochloromethane	0.341	0.355	-4.1	101	0.00
29 T	Tetrahydrofuran	0.076	0.072	5.3	90	0.00
30 C	Chloroform	0.851	0.825	3.1#	93	0.00
31 T	Cyclohexane	0.852	0.739	13.3	85	0.00
32 T	1,1,1-Trichloroethane	0.787	0.731	7.1	89	0.00
33 S	1,2-Dichloroethane-d4	0.429	0.431	-0.5	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
35 S	Dibromofluoromethane	0.309	0.327	-5.8	99	0.00
36 T	1,1-Dichloropropene	0.479	0.453	5.4	88	0.00
37 T	Ethyl Acetate	0.185	0.182	1.6	95	0.00
38 T	Carbon Tetrachloride	0.497	0.475	4.4	90	0.00
39 T	Methylcyclohexane	0.579	0.549	5.2	85	0.00
40 TM	Benzene	1.340	1.309	2.3	90	0.00
41 T	Methacrylonitrile	0.098	0.102	-4.1	113	0.00
42 TM	1,2-Dichloroethane	0.350	0.345	1.4	94	0.00
43 T	Isopropyl Acetate	0.342	0.334	2.3	92	0.00
44 TM	Trichloroethene	0.378	0.372	1.6	91	0.00
45 C	1,2-Dichloropropane	0.325	0.325	0.0	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031320\
 Data File : VD065507.D
 Acq On : 13 Mar 2020 16:46
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 16 03:38:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 05 01:22:07 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.168	0.168	0.0	93	0.00
47 T	Bromodichloromethane	0.438	0.443	-1.1	94	0.00
48 T	Methyl methacrylate	0.161	0.157	2.5	92	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	85	0.00
50 S	Toluene-d8	1.186	1.233	-4.0	93	0.00
51 T	4-Methyl-2-Pentanone	0.172	0.178	-3.5	95	0.00
52 CM	Toluene	0.844	0.851	-0.8#	91	0.00
53 T	t-1,3-Dichloropropene	0.409	0.419	-2.4	94	0.00
54 T	cis-1,3-Dichloropropene	0.495	0.504	-1.8	93	0.00
55 T	1,1,2-Trichloroethane	0.238	0.237	0.4	95	0.00
56 T	Ethyl methacrylate	0.269	0.283	-5.2	95	0.00
57 T	1,3-Dichloropropane	0.403	0.412	-2.2	96	0.00
58 T	2-Chloroethyl Vinyl ether	0.087	0.080	8.0	98	0.00
59 T	2-Hexanone	0.119	0.120	-0.8	92	0.00
60 T	Dibromochloromethane	0.306	0.313	-2.3	97	0.00
61 T	1,2-Dibromoethane	0.227	0.231	-1.8	97	0.00
62 S	4-Bromofluorobenzene	0.366	0.405	-10.7	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.358	0.342	4.5	92	0.00
65 PM	Chlorobenzene	0.989	0.957	3.2	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.360	0.361	-0.3	97	0.00
67 C	Ethyl Benzene	1.710	1.700	0.6#	92	0.00
68 T	m/p-Xylenes	0.659	0.659	0.0	91	0.00
69 T	o-Xylene	0.580	0.589	-1.6	92	0.00
70 T	Styrene	1.021	1.055	-3.3	94	0.00
71 P	Bromoform	0.202	0.200	1.0	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.289	3.269	0.6	92	0.00
74 T	N-amyl acetate	0.673	0.653	3.0	94	0.00
75 P	1,1,2,2-Tetrachloroethane	0.578	0.543	6.1	96	0.00
76 T	1,2,3-Trichloropropane	0.395	0.361	8.6	93	0.00
77 T	Bromobenzene	0.817	0.801	2.0	96	0.00
78 T	n-propylbenzene	3.902	3.863	1.0	93	0.00
79 T	2-Chlorotoluene	2.199	2.135	2.9	93	0.00
80 T	1,3,5-Trimethylbenzene	2.704	2.678	1.0	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.187	0.181	3.2	97	0.00
82 T	4-Chlorotoluene	2.311	2.271	1.7	94	0.00
83 T	tert-Butylbenzene	2.287	2.290	-0.1	94	0.00
84 T	1,2,4-Trimethylbenzene	2.665	2.686	-0.8	93	0.00
85 T	sec-Butylbenzene	3.265	3.216	1.5	92	0.00
86 T	p-Isopropyltoluene	2.979	2.976	0.1	92	0.00
87 T	1,3-Dichlorobenzene	1.571	1.513	3.7	95	0.00
88 T	1,4-Dichlorobenzene	1.563	1.502	3.9	96	0.00
89 T	n-Butylbenzene	2.754	2.723	1.1	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD031320\
Data File : VD065507.D
Acq On : 13 Mar 2020 16:46
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Mar 16 03:38:06 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030420S.M
Quant Title : SW846 8260
QLast Update : Thu Mar 05 01:22:07 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.614	0.581	5.4	93	0.00
91 T	1,2-Dichlorobenzene	1.337	1.308	2.2	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.082	6.8	97	0.00
93 T	1,2,4-Trichlorobenzene	0.906	0.872	3.8	94	0.00
94 T	Hexachlorobutadiene	0.595	0.565	5.0	93	0.00
95 T	Naphthalene	1.449	1.448	0.1	96	0.00
96 T	1,2,3-Trichlorobenzene	0.783	0.764	2.4	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5