

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_D\DATA\VD031619\
 Data File : VD061118.D
 Acq On : 16 Mar 2019 19:17
 Operator : VA/AP
 Sample : K1930-10
 Misc : 5.98g/5ml/MSVOA_D/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Quant Time: Mar 18 02:28:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D030719S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 08 02:35:39 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	0.00	168	0	0.00	ug/l	-7.04
34) 1,4-Difluorobenzene	0.00	114	0	0.00	ug/l	-8.21
63) Chlorobenzene-d5	0.00	117	0	0.00	ug/l	-12.36
72) 1,4-Dichlorobenzene-d4	0.00	152	0	0.00	ug/l	-14.51


System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	0.00	65	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
35) Dibromofluoromethane	0.00	113	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
50) Toluene-d8	0.00	98	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	
62) 4-Bromofluorobenzene	0.00	95	0	0.00	ug/l	
Spiked Amount	50.000		Recovery	=	0.00%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_D\DATA\VD031619\
Data File : VD061118.D
Acq On : 16 Mar 2019 19:17
Operator : VA/AP
Sample : K1930-10
Misc : 5.98g/5ml/MSVOA_D/SOIL
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Mar 18 02:28:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D030719S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 08 02:35:39 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 0.000 ug/l

Expected RT: 7.04 min

Lab File: VD061118.D



Acq: 16 Mar 2019 19:17

Tgt Ion: 168

Sig Exp Ratio

168 100

99 59.1



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

Expected RT: 7.45 min

Lab File: VD061118.D


Acq: 16 Mar 2019 19:17


Tgt Ion: 65

Sig Exp Ratio

65 100

67 52.6







#34
 1,4-Difluorobenzene
 Concen: 0.000 ug/l
 Expected RT: 8.21 min

Lab File: VD061118.D
 Acq: 16 Mar 2019 19:17


Tgt Ion	Exp Ratio
114	100
63	15.7
88	16.5




#35
 Dibromofluoromethane
 Concen: 0.000 ug/l
 Expected RT: 6.92 min

Lab File: VD061118.D
 Acq: 16 Mar 2019 19:17

Tgt Ion	Exp Ratio
113	100
111	105.3
192	16.4







#50
Toluene-d8
Concen: N.D. ug/l
Expected RT: 10.40 min

Lab File: VD061118.D
Acq: 16 Mar 2019 19:17


Tgt Ion	Exp Ratio
98	100
100	71.8




#62
4-Bromofluorobenzene
Concen: N.D. ug/l
Expected RT: 13.55 min

Lab File: VD061118.D
Acq: 16 Mar 2019 19:17



Tgt Ion	Exp Ratio
95	100
174	77.8
176	76.9





#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 12.36 min
 Lab File: VD061118.D
 Acq: 16 Mar 2019 19:17

Tgt Ion	Sig	Exp Ratio
117	100	
82	48.6	
119	33.2	



#72
 1,4-Dichlorobenzene-d4
 Concen: 0.000 ug/l
 Expected RT: 14.51 min
 Lab File: VD061118.D
 Acq: 16 Mar 2019 19:17

Tgt Ion	Sig	Exp Ratio
152	100	
115	57.3	
150	155.3	

