

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031721\
 Data File : VD068640.D
 Acq On : 17 Mar 2021 16:21
 Operator : VA/SY
 Sample : M1689-01
 Misc : 5.80G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 R-LA-4-4-WC

Quant Time: Mar 18 00:56:43 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 26 14:04:14 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	271452	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.867	114	493040	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.644	117	491724	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.573	152	253756	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	148771	54.85	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 109.70%	
35) Dibromofluoromethane	7.920	113	153368	51.64	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 103.28%	
50) Toluene-d8	10.338	98	612172	51.75	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 103.50%	
62) 4-Bromofluorobenzene	12.632	95	208842	54.78	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 109.56%	

Target Compounds	Qvalue
-----	-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031721\
Data File : VD068640.D
Acq On : 17 Mar 2021 16:21
Operator : VA/SY
Sample : M1689-01
Misc : 5.80G/5.00ml/MSVOA_D/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
R-LA-4-4-WC

Quant Time: Mar 18 00:56:43 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D022621S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 26 14:04:14 2021
Response via : Initial Calibration

