

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031824\
 Data File : VD078689.D
 Acq On : 18 Mar 2024 11:26
 Operator : RP/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ml/MSVOA_D/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 19 01:23:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D031424S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 15 05:38:03 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	0.465	0.468	-0.6	105	0.00
3 P	Chloromethane	0.735	0.656	10.7	93	0.00
4 C	Vinyl Chloride	1.084	1.024	5.5#	97	0.00
5 T	Bromomethane	1.038	0.940	9.4	101	0.00
6 T	Chloroethane	0.845	0.780	7.7	97	0.00
7 T	Trichlorofluoromethane	0.858	0.854	0.5	104	0.00
8 T	Diethyl Ether	0.250	0.244	2.4	103	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.538	0.537	0.2	106	0.00
10 T	Methyl Iodide	0.637	0.659	-3.5	104	0.00
11 T	Tert butyl alcohol	0.021	0.022	-4.8	102	0.00
12 CM	1,1-Dichloroethene	0.512	0.513	-0.2#	102	0.00
13 T	Acrolein	0.033	0.031	6.1	114	0.00
14 T	Allyl chloride	0.571	0.561	1.8	103	0.00
15 T	Acrylonitrile	0.101	0.100	1.0	97	0.00
16 T	Acetone	0.091	0.093	-2.2	101	0.00
17 T	Carbon Disulfide	1.677	1.648	1.7	102	0.00
18 T	Methyl Acetate	0.194	0.201	-3.6	98	0.00
19 T	Methyl tert-butyl Ether	1.032	1.039	-0.7	101	0.00
20 T	Methylene Chloride	0.769	0.612	20.4	99	-0.01
21 T	trans-1,2-Dichloroethene	0.604	0.587	2.8	99	0.00
22 T	Diisopropyl ether	1.298	1.274	1.8	99	0.00
23 T	Vinyl Acetate	0.759	0.765	-0.8	99	0.00
24 P	1,1-Dichloroethane	0.973	0.936	3.8	101	0.00
25 T	2-Butanone	0.120	0.116	3.3	98	0.00
26 T	2,2-Dichloropropane	0.823	0.821	0.2	103	0.00
27 T	cis-1,2-Dichloroethene	0.689	0.677	1.7	102	0.00
28 T	Bromochloromethane	0.347	0.316	8.9	81	0.00
29 T	Tetrahydrofuran	0.066	0.069	-4.5	102	0.00
30 C	Chloroform	1.085	1.042	4.0#	102	0.00
31 T	Cyclohexane	0.788	0.748	5.1	102	0.00
32 T	1,1,1-Trichloroethane	0.920	0.906	1.5	104	0.00
33 S	1,2-Dichloroethane-d4	0.469	0.396	15.6	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.322	0.285	11.5	89	0.00
36 T	1,1-Dichloropropene	0.467	0.481	-3.0	102	0.00
37 T	Ethyl Acetate	0.153	0.150	2.0	98	0.00
38 T	Carbon Tetrachloride	0.492	0.512	-4.1	105	0.00
39 T	Methylcyclohexane	0.542	0.583	-7.6	103	0.00
40 TM	Benzene	1.412	1.430	-1.3	101	0.00
41 T	Methacrylonitrile	0.080	0.069	13.7	88	0.00
42 TM	1,2-Dichloroethane	0.344	0.351	-2.0	100	0.00
43 T	Isopropyl Acetate	0.278	0.279	-0.4	96	0.00
44 TM	Trichloroethene	0.383	0.390	-1.8	103	0.00
45 C	1,2-Dichloropropane	0.335	0.339	-1.2#	101	0.00
46 T	Dibromomethane	0.201	0.199	1.0	99	0.00
47 T	Bromodichloromethane	0.478	0.482	-0.8	103	0.00
48 T	Methyl methacrylate	0.135	0.136	-0.7	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031824\
 Data File : VD078689.D
 Acq On : 18 Mar 2024 11:26
 Operator : RP/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ml/MSVOA_D/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 19 01:23:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D031424S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 15 05:38:03 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	103	0.00
50 S	Toluene-d8	1.184	1.079	8.9	89	0.00
51 T	4-Methyl-2-Pentanone	0.145	0.155	-6.9	100	0.00
52 CM	Toluene	0.909	0.932	-2.5#	99	0.00
53 T	t-1,3-Dichloropropene	0.437	0.448	-2.5	102	0.00
54 T	cis-1,3-Dichloropropene	0.525	0.534	-1.7	100	0.00
55 T	1,1,2-Trichloroethane	0.269	0.271	-0.7	101	0.00
56 T	Ethyl methacrylate	0.270	0.285	-5.6	98	0.00
57 T	1,3-Dichloropropane	0.434	0.442	-1.8	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.119	0.116	2.5	89	0.00
59 T	2-Hexanone	0.108	0.115	-6.5	100	0.00
60 T	Dibromochloromethane	0.332	0.336	-1.2	100	0.00
61 T	1,2-Dibromoethane	0.260	0.263	-1.2	99	0.00
62 S	4-Bromofluorobenzene	0.346	0.319	7.8	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	93	0.00
64 T	Tetrachloroethene	0.331	0.352	-6.3	101	0.00
65 PM	Chlorobenzene	1.045	1.070	-2.4	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.383	0.398	-3.9	101	0.00
67 C	Ethyl Benzene	1.780	1.914	-7.5#	101	0.00
68 T	m/p-Xylenes	0.723	0.780	-7.9	102	0.00
69 T	o-Xylene	0.669	0.720	-7.6	101	0.00
70 T	Styrene	1.123	1.217	-8.4	100	0.00
71 P	Bromoform	0.207	0.223	-7.7	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	3.292	3.525	-7.1	102	0.00
74 T	N-amyl acetate	0.534	0.552	-3.4	96	0.00
75 P	1,1,2,2-Tetrachloroethane	0.609	0.607	0.3	95	0.00
76 T	1,2,3-Trichloropropane	0.385	0.407	-5.7	103	0.00
77 T	Bromobenzene	0.816	0.848	-3.9	99	0.00
78 T	n-propylbenzene	4.007	4.354	-8.7	101	0.00
79 T	2-Chlorotoluene	2.198	2.286	-4.0	101	0.00
80 T	1,3,5-Trimethylbenzene	2.722	2.902	-6.6	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.184	0.186	-1.1	94	0.00
82 T	4-Chlorotoluene	2.325	2.390	-2.8	99	0.00
83 T	tert-Butylbenzene	2.347	2.532	-7.9	101	0.00
84 T	1,2,4-Trimethylbenzene	2.743	2.987	-8.9	101	0.00
85 T	sec-Butylbenzene	3.552	3.878	-9.2	101	0.00
86 T	p-Isopropyltoluene	3.041	3.352	-10.2	102	0.00
87 T	1,3-Dichlorobenzene	1.723	1.790	-3.9	100	0.00
88 T	1,4-Dichlorobenzene	1.698	1.765	-3.9	101	0.00
89 T	n-Butylbenzene	2.746	3.029	-10.3	103	0.00
90 T	Hexachloroethane	0.629	0.641	-1.9	100	0.00
91 T	1,2-Dichlorobenzene	1.484	1.507	-1.5	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.082	0.079	3.7	95	0.00
93 T	1,2,4-Trichlorobenzene	0.866	0.911	-5.2	104	0.00
94 T	Hexachlorobutadiene	0.469	0.499	-6.4	107	0.00
95 T	Naphthalene	1.506	1.599	-6.2	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD031824\
Data File : VD078689.D
Acq On : 18 Mar 2024 11:26
Operator : RP/MD
Sample : VSTDCCC050
Misc : 5.00G/5ml/MSVOA_D/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Mar 19 01:23:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D031424S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 15 05:38:03 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.749	0.781	-4.3	98	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6