

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD032824\
 Data File : VD078772.D
 Acq On : 28 Mar 2024 14:12
 Operator : RP/MD
 Sample : P1880-01
 Misc : 5.05G/5ml/MSVOA_D/SOIL/A
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 YANUZZI-GROUP

Quant Time: Mar 29 01:34:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D031424S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 15 05:38:03 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.881	168	140297	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.781	114	276038	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.581	117	237335	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.516	152	76781	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.234	65	65773	50.025	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	100.040%
35) Dibromofluoromethane	7.811	113	87339	49.142	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.280%
50) Toluene-d8	10.269	98	327927	50.170	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.340%
62) 4-Bromofluorobenzene	12.575	95	74122	38.762	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	77.520%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD032824\
Data File : VD078772.D
Acq On : 28 Mar 2024 14:12
Operator : RP/MD
Sample : P1880-01
Misc : 5.05G/5ml/MSVOA_D/SOIL/A
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
YANUZZI-GROUP

Quant Time: Mar 29 01:34:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D031424S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 15 05:38:03 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.881 min Scan# 1069
Delta R.T. 0.006 min
Lab File: VD078772.D
Acq: 28 Mar 2024 14:12




Instrument :
MSVOA_D
ClientSampleId :
YANUZZI-GROUP


Tgt Ion:168 Resp: 140297
Ion Ratio Lower Upper
168 100
99 51.1 38.8 58.2



#33
1,2-Dichloroethane-d4
Concen: 50.025 ug/l
RT: 8.234 min Scan# 1130
Delta R.T. 0.000 min
Lab File: VD078772.D
Acq: 28 Mar 2024 14:12

Tgt Ion: 65 Resp: 65773
Ion Ratio Lower Upper
65 100
67 56.6 0.0 110.2





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.781 min Scan# 11

Delta R.T. 0.006 min

Lab File: VD078772.D

Acq: 28 Mar 2024 14:12

Instrument :

MSVOA_D

ClientSampleId :

YANUZZI-GROUP





Tgt Ion:114 Resp: 276038

Ion Ratio Lower Upper

114 100

63 16.9 0.0 33.4

88 12.4 0.0 24.6



#35

Dibromofluoromethane

Concen: 49.142 ug/l

RT: 7.811 min Scan# 1058

Delta R.T. 0.006 min

Lab File: VD078772.D

Acq: 28 Mar 2024 14:12




Tgt Ion:113 Resp: 87339


Ion Ratio Lower Upper

113 100

111 100.4 81.9 122.9

192 18.7 15.4 23.0









#50
Toluene-d8
Concen: 50.170 ug/l
RT: 10.269 min Scan# 1476
Delta R.T. 0.000 min
Lab File: VD078772.D
Acq: 28 Mar 2024 14:12




Instrument :
MSVOA_D
ClientSampleId :
YANUZZI-GROUP


Tgt Ion: 98 Resp: 327927
Ion Ratio Lower Upper
98 100
100 64.7 50.5 75.7



#62
4-Bromofluorobenzene
Concen: 38.762 ug/l
RT: 12.575 min Scan# 1868
Delta R.T. 0.006 min
Lab File: VD078772.D
Acq: 28 Mar 2024 14:12

Tgt Ion: 95 Resp: 74122
Ion Ratio Lower Upper
95 100
174 94.3 0.0 195.2
176 90.4 0.0 188.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.581 min Scan# 11
Delta R.T. 0.000 min
Lab File: VD078772.D
Acq: 28 Mar 2024 14:12

Instrument :
MSVOA_D
ClientSampleId :
YANUZZI-GROUP

Tgt Ion:117 Resp: 237335
Ion Ratio Lower Upper
117 100
82 47.4 41.4 62.2
119 29.7 26.5 39.7



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.516 min Scan# 2028
Delta R.T. 0.000 min
Lab File: VD078772.D
Acq: 28 Mar 2024 14:12

Tgt Ion:152 Resp: 76781
Ion Ratio Lower Upper
152 100
115 55.5 27.1 81.2
150 159.9 0.0 350.2

