

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD032923\
 Data File : VD075533.D
 Acq On : 29 Mar 2023 15:36
 Operator : KP/SY
 Sample : 02121-12
 Misc : 5.35G/10.00ml/MSVOA_D/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C1185

Quant Time: Mar 31 02:03:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM030123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Mar 31 01:28:39 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.781	114	310878	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.586	117	289547	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.522	152	115974	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.275	65	129805	16.816	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.280%
7) Chloroethane-d5	2.805	69	138814	20.781	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.120%
11) 1,1-Dichloroethene-d2	3.922	63	92438	12.821	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.280%
21) 2-Butanone-d5	6.987	46	33081	46.247	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.500%
24) Chloroform-d	7.569	84	198751	24.395	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.600%
26) 1,2-Dichloroethane-d4	8.234	65	82614	23.407	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.640%
32) Benzene-d6	8.204	84	366566	21.317	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.280%
36) 1,2-Dichloropropane-d6	9.210	67	115008	23.664	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.640%
41) Toluene-d8	10.269	98	325557	20.753	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.000%
43) trans-1,3-Dichloroprop...	10.528	79	43196	21.750	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.000%
47) 2-Hexanone-d5	10.881	63	29387	41.914	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.820%
56) 1,1,2,2-Tetrachloroeth...	12.651	84	96647	23.773	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.080%
66) 1,2-Dichlorobenzene-d4	13.816	152	117786	29.035	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	116.160%
Target Compounds						
16) Methylene chloride	4.810	84	14467	2.203	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD032923\
Data File : VD075533.D
Acq On : 29 Mar 2023 15:36
Operator : KP/SY
Sample : 02121-12
Misc : 5.35G/10.00ml/MSVOA_D/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
C1185


Quant Time: Mar 31 02:03:16 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM030123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Mar 31 01:28:39 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.203 ug/L
RT: 4.810 min Scan# 54
Delta R.T. 0.006 min
Lab File: VD075533.D
Acq: 29 Mar 2023 15:36

Instrument :
MSVOA_D
ClientSampleId :
C1185



Tgt Ion: 84 Resp: 14467
Ion Ratio Lower Upper
84 100
86 61.4 44.2 82.2
49 77.1 63.6 118.2

