

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD033022\
 Data File : VD072477.D
 Acq On : 30 Mar 2022 14:20
 Operator : VA/SY
 Sample : N2103-09RE
 Misc : 5.03G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CHRT-20019RE

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D032922S.M
 Title : SW846 8260

Signal : TIC: VD072477.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.344	68	72	75	rVB2	2503	2806	3.71%	0.468%
2	2.373	75	77	78	rBV	1998	1701	2.25%	0.283%
3	2.391	78	80	83	rVV2	2069	2274	3.01%	0.379%
4	2.420	83	85	88	rVB	2912	2487	3.29%	0.414%
5	2.450	88	90	94	rBV	2800	3584	4.74%	0.597%
6	2.562	107	109	112	rBV2	1848	2583	3.42%	0.430%
7	2.785	144	147	149	rBV3	1671	2312	3.06%	0.385%
8	3.267	227	229	233	rBV2	1098	1514	2.00%	0.252%
9	3.503	264	269	271	rBV2	1631	2861	3.79%	0.477%
10	3.844	324	327	332	rBV2	1141	2085	2.76%	0.347%
11	4.026	356	358	361	rBV2	1145	1653	2.19%	0.275%
12	4.103	368	371	374	rBV2	1156	1478	1.96%	0.246%
13	4.667	464	467	469	rBV	1235	1382	1.83%	0.230%
14	4.797	487	489	493	rBV2	1046	1632	2.16%	0.272%
15	4.856	497	499	504	rVV2	1339	2427	3.21%	0.404%
16	4.926	508	511	512	rVV2	1310	1500	1.99%	0.250%
17	4.962	515	517	522	rVB2	1727	2441	3.23%	0.407%
18	4.997	522	523	526	rBV	2297	1892	2.50%	0.315%
19	5.038	526	530	531	rVB	1354	1518	2.01%	0.253%
20	5.085	536	538	541	rBV2	1635	1968	2.60%	0.328%
21	5.114	541	543	545	rBV2	2264	2110	2.79%	0.352%
22	5.485	604	606	611	rBV2	1357	1590	2.10%	0.265%
23	5.644	629	633	634	rVB	1279	1359	1.80%	0.226%
24	5.667	634	637	639	rBV2	1128	1425	1.89%	0.237%
25	5.756	650	652	656	rBV	2625	1711	2.26%	0.285%
26	6.620	797	799	803	rVB	1816	1963	2.60%	0.327%
27	7.032	865	869	871	rBV2	1307	1612	2.13%	0.269%
28	7.232	902	903	905	rBV	2049	1424	1.88%	0.237%
29	7.408	931	933	936	rVB2	1818	2035	2.69%	0.339%
30	7.473	942	944	946	rVB2	1744	1468	1.94%	0.245%
31	7.550	953	957	958	rBV2	1211	1380	1.83%	0.230%
32	7.750	989	991	998	rBV	1133	1771	2.34%	0.295%
33	7.914	1010	1019	1024	rBV5	12995	31813	42.10%	5.301%
34	7.979	1024	1030	1037	rVB4	18096	37428	49.53%	6.236%
35	8.320	1082	1088	1095	rBV3	12481	27387	36.24%	4.563%
36	8.485	1113	1116	1118	rBV2	1572	1407	1.86%	0.234%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD033022\
 Data File : VD072477.D
 Acq On : 30 Mar 2022 14:20
 Operator : VA/SY
 Sample : N2103-09RE
 Misc : 5.03G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CHRT-20019RE

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D032922S.M
 Title : SW846 8260

37	8.626	1135	1140	1141	rBV2	1614	1368	1.81%	0.228%
38	8.755	1159	1162	1163	rVB	1421	1419	1.88%	0.236%
39	8.855	1172	1179	1189	rBV3	23102	49760	65.85%	8.291%
40	8.955	1192	1196	1197	rVB	1623	1625	2.15%	0.271%
41	9.061	1211	1214	1216	rBV2	1737	2270	3.00%	0.378%
42	9.155	1227	1230	1233	rBV2	916	1514	2.00%	0.252%
43	9.285	1251	1252	1256	rVB	1801	1890	2.50%	0.315%
44	9.326	1256	1259	1265	rBV3	1585	2923	3.87%	0.487%
45	9.385	1267	1269	1272	rVV2	1244	1430	1.89%	0.238%
46	9.702	1319	1323	1326	rBV	1078	1748	2.31%	0.291%
47	9.920	1356	1360	1361	rBV	1417	1522	2.01%	0.254%
48	10.149	1392	1399	1400	rVB3	1279	2615	3.46%	0.436%
49	10.332	1424	1430	1438	rVB	36516	65656	86.89%	10.940%
50	10.426	1442	1446	1447	rVB	1552	1689	2.24%	0.281%
51	10.461	1450	1452	1455	rVB2	2058	2248	2.98%	0.375%
52	10.502	1455	1459	1461	rBV2	1998	2655	3.51%	0.442%
53	10.597	1473	1475	1478	rVB3	1500	1651	2.18%	0.275%
54	10.732	1496	1498	1501	rBV2	1308	1697	2.25%	0.283%
55	10.773	1503	1505	1508	rVB2	1931	1931	2.56%	0.322%
56	10.802	1508	1510	1511	rBV	2299	1599	2.12%	0.266%
57	10.938	1531	1533	1536	rBV2	1593	2045	2.71%	0.341%
58	11.002	1541	1544	1546	rVB2	1713	1511	2.00%	0.252%
59	11.173	1569	1573	1575	rBV	1629	1651	2.18%	0.275%
60	11.320	1597	1598	1601	rBV	1280	1371	1.81%	0.228%
61	11.638	1647	1652	1661	rVB2	42669	75562	100.00%	12.590%
62	11.944	1700	1704	1706	rBV2	1419	1409	1.86%	0.235%
63	12.220	1747	1751	1753	rVV	1825	1747	2.31%	0.291%
64	12.467	1791	1793	1797	rVB3	1449	1489	1.97%	0.248%
65	12.626	1810	1820	1829	rVB2	33042	61041	80.78%	10.171%
66	12.691	1829	1831	1834	rBV	1878	2097	2.78%	0.349%
67	13.120	1902	1904	1910	rBV3	1585	2997	3.97%	0.499%
68	13.449	1957	1960	1964	rBV2	1852	2683	3.55%	0.447%
69	13.561	1974	1979	1985	rBV	47929	73792	97.66%	12.296%
70	13.655	1993	1995	1999	rVB3	1697	1970	2.61%	0.328%
71	13.890	2033	2035	2037	rVB3	1973	1578	2.09%	0.263%
72	13.908	2037	2038	2041	rBV2	1857	1500	1.99%	0.250%
73	14.079	2064	2067	2068	rBV3	1793	1964	2.60%	0.327%
74	14.214	2087	2090	2092	rBV2	1815	1802	2.38%	0.300%
75	14.385	2118	2119	2122	rBV	1806	1539	2.04%	0.256%
76	14.449	2125	2130	2131	rBV2	1743	2518	3.33%	0.420%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD033022\
 Data File : VD072477.D
 Acq On : 30 Mar 2022 14:20
 Operator : VA/SY
 Sample : N2103-09RE
 Misc : 5.03G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CHRT-20019RE

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D032922S.M
 Title : SW846 8260

77	14.502	2136	2139	2141	rBV3	2276	2435	3.22%	0.406%
78	14.549	2144	2147	2150	rVB2	2244	2823	3.74%	0.470%
79	14.579	2150	2152	2153	rBV2	2042	1581	2.09%	0.263%
80	14.685	2167	2170	2171	rBV2	1253	1468	1.94%	0.245%
81	14.820	2191	2193	2196	rVB2	1931	1521	2.01%	0.253%
82	15.090	2235	2239	2242	rBV3	2026	2577	3.41%	0.429%
83	15.132	2244	2246	2248	rVB2	2309	1811	2.40%	0.302%
84	15.167	2250	2252	2254	rBV2	1337	1519	2.01%	0.253%
85	15.202	2256	2258	2261	rVV2	1953	1710	2.26%	0.285%
86	15.390	2289	2290	2292	rBV2	2334	1960	2.59%	0.327%
87	15.649	2331	2334	2335	rBV3	1866	1512	2.00%	0.252%
88	15.708	2341	2344	2345	rBV2	2659	1947	2.58%	0.324%
89	15.896	2374	2376	2377	rBV2	2122	1633	2.16%	0.272%
90	16.084	2406	2408	2411	rVB3	2445	2126	2.81%	0.354%
91	16.108	2411	2412	2414	rBV2	2658	1897	2.51%	0.316%
92	16.132	2414	2416	2418	rBV3	1992	1672	2.21%	0.279%
93	16.202	2426	2428	2430	rVB3	1943	1391	1.84%	0.232%
94	16.320	2446	2448	2450	rBV3	2342	2552	3.38%	0.425%
95	16.361	2453	2455	2458	rBV2	2338	2321	3.07%	0.387%
96	16.414	2463	2464	2467	rBV2	3082	3345	4.43%	0.557%
97	16.496	2476	2478	2482	rVB4	4242	4356	5.76%	0.726%
98	16.631	2499	2501	2502	rBV2	2425	1682	2.23%	0.280%
99	16.714	2513	2515	2517	rBV3	2059	1478	1.96%	0.246%
100	16.731	2517	2518	2520	rBV2	2110	1378	1.82%	0.230%

Sum of corrected areas: 600152

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD033022\
Data File : VD072477.D
Acq On : 30 Mar 2022 14:20
Operator : VA/SY
Sample : N2103-09RE
Misc : 5.03G/5.00ml/MSVOA_D/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CHRT-20019RE

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D032922S.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD033022\
Data File : VD072477.D
Acq On : 30 Mar 2022 14:20
Operator : VA/SY
Sample : N2103-09RE
Misc : 5.03G/5.00ml/MSVOA_D/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CHRT-20019RE

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D032922S.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------