

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD040919\
 Data File : VD061703.D
 Acq On : 10 Apr 2019 6:40
 Operator : VA/AP
 Sample : K2338-12
 Misc : 7.48g/5ml/MSVOA D/SOIL
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :

Quant Time: Apr 10 07:41:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D040619S.M
 Quant Title : SW846 8260
 QLast Update : Mon Apr 08 10:04:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	0.00	168	0	0.00	ug/l	-7.04
34) 1,4-Difluorobenzene	0.00	114	0	0.00	ug/l	-8.21
63) Chlorobenzene-d5	0.00	117	0	0.00	ug/l	-12.36
72) 1,4-Dichlorobenzene-d4	0.00	152	0	0.00	ug/l	-14.52

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	0.00	65	0	0.00	ug/l	
Spiked Amount 50.000			Recovery	=	0.00%	
35) Dibromofluoromethane	0.00	113	0	0.00	ug/l	
Spiked Amount 50.000			Recovery	=	0.00%	
50) Toluene-d8	0.00	98	0	0.00	ug/l	
Spiked Amount 50.000			Recovery	=	0.00%	
62) 4-Bromofluorobenzene	0.00	95	0	0.00	ug/l	
Spiked Amount 50.000			Recovery	=	0.00%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD040919\
Data File : VD061703.D
Acq On : 10 Apr 2019 6:40
Operator : VA/AP
Sample : K2338-12
Misc : 7.48g/5ml/MSVOA D/SOIL
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :

Quant Time: Apr 10 07:41:14 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D040619S.M
Quant Title : SW846 8260
QLast Update : Mon Apr 08 10:04:03 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 0.000 ug/l

Expected RT: 7.04 min

Lab File: VD061703.D

Acq: 10 Apr 2019 6:40

Tot Ion: 168

Sig Exp Ratio



168 100

99 58.5

Instrument :

MSVOA_D

ClientSampleId :



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

Expected RT: 7.45 min

Lab File: VD061703.D


Acq: 10 Apr 2019 6:40


Tgt Ion: 65

Sig Exp Ratio

65 100

67 49.7







#34
 1,4-Difluorobenzene
 Concen: 0.000 ug/l
 Expected RT: 8.21 min
 Lab File: VD061703.D
 Acq: 10 Apr 2019 6:40


Instrument :
 MSVOA_D
 ClientSampleId :


Tot Ion	114
Sig	Exp Ratio
114	100
63	15.6
88	15.9



#35
 Dibromofluoromethane
 Concen: 0.000 ug/l
 Expected RT: 6.92 min
 Lab File: VD061703.D
 Acq: 10 Apr 2019 6:40

Tgt Ion	113
Sig	Exp Ratio
113	100
111	99.1
192	15.4







#50
Toluene-d8
Concen: N.D. ug/l
Expected RT: 10.40 min
Lab File: VD061703.D
Acq: 10 Apr 2019 6:40


Instrument :
MSVOA_D
ClientSampleId :


Tot Ion	98
Sig	Exp Ratio
98	100
100	69.2



#62
4-Bromofluorobenzene
Concen: N.D. ug/l
Expected RT: 13.55 min
Lab File: VD061703.D
Acq: 10 Apr 2019 6:40

Tgt Ion	95
Sig	Exp Ratio
95	100
174	82.3
176	82.5







#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 12.36 min
 Lab File: VD061703.D
 Acq: 10 Apr 2019 6:40

Instrument :
 MSVOA_D
 ClientSampleId :

Tot Ion: 117
 Sig Exp Ratio
 117 100
 82 46.0
 119 32.6



#72
 1,4-Dichlorobenzene-d4
 Concen: 0.000 ug/l
 Expected RT: 14.52 min
 Lab File: VD061703.D
 Acq: 10 Apr 2019 6:40

Tgt Ion: 152
 Sig Exp Ratio
 152 100
 115 52.8
 150 160.3

