

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD041119\
 Data File : VD061755.D
 Acq On : 11 Apr 2019 21:47
 Operator : VA/AP
 Sample : K2356-02
 Misc : 5.05g/5ml/MSVOA D/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 S-1A

Quant Time: Apr 12 01:03:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D040619S.M
 Quant Title : SW846 8260
 QLast Update : Mon Apr 08 10:04:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.05	168	1047	50.00	ug/l	0.01
34) 1,4-Difluorobenzene	8.21	114	3542	50.00	ug/l	0.00
63) Chlorobenzene-d5	12.36	117	2776	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	14.51	152	726	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	7.44	65	889	112.02	ug/l	-0.02
Spiked Amount				50.000		
			Recovery	=	224.04%	
35) Dibromofluoromethane	6.90	113	735	29.95	ug/l	-0.02
Spiked Amount				50.000		
			Recovery	=	59.90%	
50) Toluene-d8	10.40	98	3458	56.09	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	112.18%	
62) 4-Bromofluorobenzene	13.55	95	1288	62.70	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	125.40%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD041119\
Data File : VD061755.D
Acq On : 11 Apr 2019 21:47
Operator : VA/AP
Sample : K2356-02
Misc : 5.05g/5ml/MSVOA D/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
S-1A

Quant Time: Apr 12 01:03:43 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D040619S.M
Quant Title : SW846 8260
QLast Update : Mon Apr 08 10:04:03 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.05 min Scan# 572

Delta R.T. 0.01 min

Lab File: VD061755.D

Acq: 11 Apr 2019 21:47

Instrument :

MSVOA_D

ClientSampleId :


S-1A

Tot Ion:168 Resp: 1047

Ion Ratio Lower Upper

168 100

99 0.0 46.8 70.2#



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

7.05

600

500

400



300

200

100

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

RT: 7.44 min Scan# 611

Delta R.T. -0.02 min

Lab File: VD061755.D


Acq: 11 Apr 2019 21:47

Tgt Ion: 65 Resp: 889

Ion Ratio Lower Upper

65 100

67 0.0 0.0 99.4



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC

7.44


600


400

200

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.21 min Scan# 690

Delta R.T. 0.00 min

Lab File: VD061755.D

Acq: 11 Apr 2019 21:47

Instrument :

MSVOA_D

ClientSampleId :

S-1A


Tot Ion:114 Resp: 3542

Ion Ratio Lower Upper

114 100

63 0.0 0.0 31.2




88 0.0 0.0 31.8



Abundance Ion 114.00 (113.70 to 114.70): V

Ion 62.95 (62.65 to 63.65): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 50.000 ug/l

RT: 6.90 min Scan# 557

Delta R.T. -0.02 min

Lab File: VD061755.D

Acq: 11 Apr 2019 21:47


Tgt Ion:113 Resp: 735

Ion Ratio Lower Upper

113 100

111 72.7 79.3 118.9#



192 0.0 12.3 18.5#




Abundance Ion 112.90 (112.60 to 113.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 191.80 (191.50 to 192.50): V





#50

Toluene-d8

Concen: N.D. ug/l

RT: 10.40 min Scan# 912

Delta R.T. -0.01 min

Lab File: VD061755.D

Acq: 11 Apr 2019 21:47

Instrument :

MSVOA_D

ClientSampleId :


S-1A

Tot Ion: 98 Resp: 3458

Ion Ratio Lower Upper

98 100

100 48.1 55.4 83.0#



Abundance Ion 98.05 (97.75 to 98.75): VD061644.D (-905) (-)

Ion 100.05 (99.75 to 100.75): VD061644.D (-905) (-)

10.40



1500

1000

500

0

Time-->



#62

4-Bromofluorobenzene

Concen: N.D. ug/l

RT: 13.55 min Scan# 1232

Delta R.T. -0.00 min

Lab File: VD061755.D

Acq: 11 Apr 2019 21:47


Tgt Ion: 95 Resp: 1288

Ion Ratio Lower Upper

95 100

174 82.3 0.0 164.6

176 66.1 0.0 165.0



Abundance Ion 95.00 (94.70 to 95.70): VD061644.D (-1227) (-)

Ion 173.90 (173.60 to 174.60): VD061644.D (-1227) (-)

Ion 175.90 (175.60 to 176.60): VD061644.D (-1227) (-)

13.55


1500


1000

500

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 12.36 min Scan# 1111
Delta R.T. -0.01 min
Lab File: VD061755.D
Acq: 11 Apr 2019 21:47

Instrument :
MSVOA_D
ClientSampleId :
S-1A

Tot Ion:117 Resp: 2776
Ion Ratio Lower Upper
117 100
82 51.6 36.8 55.2
119 28.1 26.1 39.1




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 14.51 min Scan# 1330
Delta R.T. -0.01 min
Lab File: VD061755.D
Acq: 11 Apr 2019 21:47

Tgt Ion:152 Resp: 726
Ion Ratio Lower Upper
152 100
115 54.4 26.4 79.2
150 167.8 0.0 320.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

