

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD041823\
 Data File : VD075721.D
 Acq On : 18 Apr 2023 12:26
 Operator : KP/SY
 Sample : 02362-03
 Misc : 5.05G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 HW-STONE-2-0414

Quant Time: Apr 19 01:22:58 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D041323S.M
 Quant Title : SW846 8260
 QLast Update : Thu Apr 13 14:16:29 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.881	168	195410	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.781	114	356201	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.587	117	325090	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.522	152	137010	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.228	65	90570	48.830	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.660%
35) Dibromofluoromethane	7.805	113	114045	47.602	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	95.200%
50) Toluene-d8	10.269	98	413999	43.151	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	86.300%
62) 4-Bromofluorobenzene	12.575	95	103186	40.463	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	80.920%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD041823\
Data File : VD075721.D
Acq On : 18 Apr 2023 12:26
Operator : KP/SY
Sample : 02362-03
Misc : 5.05G/5.00ml/MSVOA_D/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
HW-STONE-2-0414

Quant Time: Apr 19 01:22:58 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D041323S.M
Quant Title : SW846 8260
QLast Update : Thu Apr 13 14:16:29 2023
Response via : Initial Calibration

